

UNIVERSITY SURVEY OF TOBACCO CONTROL

/// MISSISSIPPI STATE UNIVERSITY | 2017

ACKNOWLEDGMENT

This survey was made possible through support provided by the Mississippi State Department of Health. The opinions expressed herein are those of the authors and do not necessarily reflect the views of the Mississippi State Department of Health.

The survey instrument design was based on an extensive review of extant instruments such as the Social Climate Survey of Tobacco Control, the Current Population Survey - Tobacco Use Supplement, the National College Health Risk Behavior Survey, the Youth Tobacco Survey, the Harvard School of Public Health College Alcohol Survey, and was supplemented by additional relevant items.

METHODS

1


Researchers at the Social Science Research Center at Mississippi State University (MSU) administered a web-based survey to undergraduate students at MSU. This webbased approach has extraordinary potential as the university provides internet access to students in multiple settings and issues each student an e-mail account. Moreover, students rely on e-mail and the internet to communicate with peers, professors, and university administrators.


Information Technology Services at MSU provided 15,125 undergraduate student e-mail addresses. Of these 15,125 students, 7,563 were sampled and 705 participated in the survey. All respondents were 18 years of age or older and undergraduate students at MSU during the Spring 2017 term. Respondents

were screened before beginning the survey, and students who were not yet 18 years of age during the Spring 2017 term were not allowed to continue the survey.


Each student in the sample received an e-mail asking for their participation in the survey. Students who chose to participate clicked on an embedded URL address that linked the student to the survey web site. Respondents who did not complete the survey in one session were able to restart the survey at the last question answered. Up to two reminder e-mails were sent requesting the student's continued participation. Two reminder emails were also sent to each student who did not respond to the initial request for participation. No more than three emails were sent to any student in the sample. We also sent an e-mail to participants thanking them for their participation.


Several precautions were taken to protect the privacy of respondents. Personal identifiers (e-mail addresses) were kept separate from the information collected from each respondent. This was accomplished by anonymizing responses so that no personal information was recorded and the contact association was removed.







SMOKE-FREE POLICIES IN THE COMMUNITY 2010-2017 25.0% 14.2% Have Witnessed a Violation of 10.8% < K E Y > Local Smoke-free Ordinances in the Past Seven Days 2010 9.8% 2011 2012 12.7% 2013 2014 Have Not Been Exposed 57.0% 2015 in an Indoor Public Place 56.8% 2016 in the Past Seven Days 64.7% 2017 N/A 44.0% 43.5% **Support Prohibiting** Smoking in Outdoor Seating Areas of Restaurants 48.4% N/A 10% 20% 30% 40% 60% 50% 70% 0%









CONTACT INFORMATION

Robert McMillen, Ph.D. Social Science Research Center Mississippi State University

One Research Blvd., Suite 103 Starkville, MS 39759

For more information visit

P: 662.325.7127

F: 662.325.7966

MISSISSIPPI STATE UNIVERSITY DOES NOT DISCRIMINATE ON THE BASIS OF RACE, COLOR, RELIGION, NATIONAL ORIGIN, SEX, AGE, DISABILITY, OR VETERAN STATUS. THIS REPORT IS FUNDED BY A GRANT OF THE MISSISSIPPI STATE DEPARTMENT OF HEALTH.

