

2018 Mississippi Social Climate of Smoking

Final Report
November 20, 2018

**Survey Research Laboratory
Social Science Research Center
Mississippi State University**

TABLE OF CONTENTS

Purpose	1
Method	1
Data Specifications	1
Call Log	2
Weighting Methodology Report (Authored by Marketing Systems Group)	3
Survey Items	8
Item Response Frequency Tables for Weighted Data	39

2018 Mississippi Social Climate of Smoking

Purpose

In collaboration with the Survey Research Laboratory (SRL) at Mississippi State University, the Tobacco Control Unit at the Social Science Research Center designed a telephone-based survey to measure public opinion throughout the state of Mississippi regarding the use and control of tobacco products. Funding for the project is provided by the American Academy of Pediatrics.

Method

Telephone interviews with adult respondents (age 18 or older) residing in the state of Mississippi were conducted from mid-September through mid-November 2018, by the Survey Research Laboratory at Mississippi State University. The survey administration secured a total of 1,500 interviews.

In order to provide a probability-based sample representative of all households in the U.S., a dual-frame RDD (Random-Digit-Dialing) sampling methodology was employed, whereby both landline and cellular telephone numbers were used to contact eligible adults. Telephone numbers were dialed a maximum of eight (8) times before being retired.

Data Specifications

- System missing codes in the SPSS dataset and Item Response Frequency Tables indicate that a question was not asked of a given respondent because it did not apply based on his or her pattern of responses.
- For dichotomous response options with a 50/50 split, the margin of error for the total dataset ($n = 1,500$) is no larger than $\pm 2.5\%$ (95% CI).
- Item response frequencies are based on weighted data.

Telephone Call Log

Final Disposition Code	Total	Number
Completed survey	1,500	Number retired
Refused to participate	3,247	Number retired
Immediate hang-up	889	Returned to queue
Scheduled callback	404	Returned to queue
No answer	4,757	Returned to queue
Busy signal	1,325	Returned to queue
Answering machine / Voicemail	14,980	Returned to queue
Unsafe location for call (cellphone user)	10	Returned to queue
Communication or language problem	211	Number retired
Unable to participate due to health problem	58	Number retired
Respondent out of town for duration of study	31	Number retired
Respondent out of target area	294	Number retired
Respondent out of age range	147	Number retired
Other problem	2	Number retired
Business phone	578	Number retired
Disconnected number or fax machine	5,789	Number retired
Disconnected number (Filtered out by Sample Provider)	32,778	Number retired
Total Telephone Numbers Purchased:	<u>67,000</u>	

$$\text{Cooperation Rate: } 31.60\% = \frac{\text{Completes}}{\text{Completes} + \text{Refusals}}$$

Weighting Methodology Report

Design Overview

A statewide survey of adults 18 and over within the state of Mississippi was desired. In order to maximize coverage of adults in the state a dual frame design was used that included both cellular and landline telephone numbers within the state of Mississippi. To ensure that a reproducible and representative sample was obtained, probability-based sampling via random digit dial (RDD) was used within each of the two frames. In total, 17,000 landline and 50,000 cellular telephone numbers were sampled from their respective universes of 2,570,900 and 5,029,000 total possible numbers. The survey secured a total of 1,500 interviews with adults (1,291 of which were obtained from the cell phone frame while the remaining 209 were obtained from the landline frame).

Weighting

Virtually, all survey data are weighted before they can be used to produce reliable estimates of population parameters. While reflecting the selection probabilities of sampled units, weighting also attempts to compensate for practical limitations of a sample survey, such as differential nonresponse and undercoverage. The weighting process for this survey entailed two major steps. The first step consisted of computation of the *design weights* to reflect selection probabilities of households. In the second step, design weights were calibrated so that the resulting final weights would aggregate to reported totals for the target population with respect to specific geodemographic characteristics.

The computation of the design weights consisted of two steps: computation of the base weight and adjustment for multiplicity/selection of an adult within the household. The base weight was computed separately for each frame for landline and cell phone only adults. For those adults who were dual users, a base weight that reflected possibilities of being included in the sample from either of the two frames was computed as described in Buskirk and Best (2012) (www.amstat.org/sections/srms/proceedings/y2012/files/304351_72969.pdf). The multiplicity adjustment for within household selection of one adult for respondents on the landline frame was capped at 3 for those households that had 3 or more adults.

For the calibration step, weights were adjusted per county using an iterative proportional fitting method called raking, whereby design weights were simultaneously adjusted along several dimensions using the *WgtAdjust* procedure of SUDAAN (www.rti.org/sudaan). This calibration procedure ensures that all weighted frequency counts along any of the raking dimensions match their corresponding population totals obtained from external sources (<http://www2.sas.com/proceedings/sugi29/207-29.pdf>). In order for the calibration to be successful, each sampled unit must not have missing values on the variables used as part of the raking procedure. To this end, we imputed missing values on the

specific variables (some variables were categorical variables of original survey items) using a weighted sequential hot deck procedure in SUDAAN. This process ensures that the overall weighted distributions of the imputed data match those of the original data. The missing values were imputed based on classes determined by combinations of phone status (e.g. landline only, cell only or dual user) and gender in part due to the potential for these variables to be related to the outcomes of interest. Additionally, these were chosen based on their overall level of completeness with phone status and gender showing little missing values. A final weight adjustment step was undertaken to trim the weights to 4,300 – which represented approximately a 2.5% trim on the upper weights. These trimmed weights were recalibrated so that no final weight exceeded six times the interquartile range of the final weights.

The requisite population totals for this study were obtained from the 2018 Current Population Survey March Supplement, as summarized in the tables below. The only exception being telephone status which was obtained from the July 2016 National Health Interview Survey on Wireless Substitution.

Table 1. First raking dimension for weight adjustments by gender and age

Age	Males				Females			
	Respondents		Population		Respondents		Population	
18-24	67	4.5%	139,629	13.2%	64	4.3%	122,459	10.4%
25-34	108	7.2%	174,669	16.5%	107	7.1%	207,882	17.6%
35-44	94	6.3%	175,390	16.5%	120	8.0%	199,151	16.9%
45-54	117	7.8%	174,673	16.5%	158	10.5%	178,735	15.2%
55-64	122	8.1%	193,163	18.2%	167	11.1%	211,268	17.9%
65+	151	10.1%	203,028	19.1%	225	15.0%	259,125	22.0%
Total	659	100.0%	1,060,552	100.0%	841	100.0	1,178,620	100.0%

Table 2. Second raking dimension for weight adjustments by gender and education

Education	Males				Females			
	Respondents		Population		Respondents		Population	
Some High School or less	52	3.5%	174,566	16.5%	54	3.6%	157,556	13.4%
High School Graduate	165	11.0%	368,969	34.8%	205	13.7%	332,022	28.2%
Some College / Associates	235	15.7%	324,424	30.6%	304	20.3%	387,869	32.9%
College Graduate	115	7.7%	133,717	12.6%	154	10.3%	189,351	16.1%
Graduate degree and beyond	92	6.1%	58,877	5.6%	124	8.3%	111,821	9.5%
Total	659	100.0%	1,060,552	100.0%	841	100.0%	1,178,620	100.0%

Table 3. Third raking dimension for weight adjustments by race/ethnicity

Race / Ethnicity	Respondents		Population	
White Non-Hispanic	890	59.3%	1,334,973	59.6%
Black Non-Hispanic	542	36.1%	807,154	36.0%
All Other (incl. Hispanic)	68	4.5%	97,045	4.3%
Total	1,500	100.0%	2,239,172	100.0%

Table 4. Fourth raking dimension for weight adjustments by income

Household Income	Respondents		Population	
Under \$15,000	257	17.1%	262,919	11.7%
\$15,000 to \$24,999	179	11.9%	241,150	10.8%
\$25,000 to \$34,999	166	11.1%	248,237	11.1%
\$35,000 to \$49,999	218	14.5%	308,050	13.8%
\$50,000 to \$74,999	228	15.2%	462,514	20.7%
\$75,000 to \$99,000	193	12.9%	258,248	11.5%
\$100,000 or more	259	17.3%	458,054	20.5%
Total	1,500	100.0%	2,239,172	100.0%

Table 5. Fifth raking dimension for weight adjustments by telephone status

Telephone Status	Respondents		Population	
Cell-only	915	39.0%	1,370,373	61.2%
Others	585	61.0%	868,799	38.8%
Total	1,500	100.0%	2,239,172	100.0%

Variance Estimation for Weighted Data

Survey estimates can only be interpreted properly in light of their associated sampling errors. Since weighting often increases variances of estimates, use of standard variance calculation formulae with weighted data can result in misleading statistical inferences. With weighted data, two general approaches for variance estimation can be distinguished. One method is *Taylor Series Linearization* and the second is *Replication*. There are several statistical software packages that can be used to produce design-proper estimates of variances, including SAS, SUDAAN, SPSS, and Stata.

An Approximation Method for Variance Estimation can be used to avoid the need for special software packages. Researchers who do not have access to such tools for design-proper estimation of standard errors can approximate the resulting

variance inflation due to weighting and incorporate that in subsequent calculations of confidence intervals and tests of significance. With w_i representing the final weight of the i^{th} respondent, the inflation due to weighting, which is commonly referred to as *Unequal Weighting Effect (UWE)*, can be approximated by:

$$\delta = 1 + \frac{\sum_{i=1}^n \frac{(w_i - \bar{w})^2}{n-1}}{\bar{w}^2}$$

For calculation of a confidence interval for an estimated percentage, \hat{p} , one can obtain the conventional variance of the given percentage and multiply it by the approximated design effect, δ , and use the resulting quantity as adjusted variance. As such, the adjusted standard deviation for the percentage in question would be given by:

$$S(\hat{p}) \approx \sqrt{\frac{\hat{p}(1-\hat{p})}{n-1} \left(\frac{N-n}{N}\right) \times \delta}$$

Subsequently, the $(100-\alpha)\%$ confidence interval for P would be given by:

$$\hat{p} - z_{\alpha/2} \sqrt{\frac{\hat{p}(1-\hat{p})}{n-1} \left(\frac{N-n}{N}\right) \times \delta} \leq P \leq \hat{p} + z_{\alpha/2} \sqrt{\frac{\hat{p}(1-\hat{p})}{n-1} \left(\frac{N-n}{N}\right) \times \delta}$$

Summary Information for the Weighted Data:

An overall histogram illustrating the design weights computed from the first step as well as the final, calibrated weights from the second are shown in Figures 1 and 2, respectively. Based on the UWE equation in the previous example, the value computed for this study based on the final weights is: 1.440. The UWE for the first stage weight (without calibration to population totals) is 1.121. The increase in the UWE is expected as the calibration process potentially decreases coverage/nonresponse bias at the expense of increases in the variability of the sampling weights. The UWE of 1.440 can be used in the computation of confidence intervals for estimates derived using the final sampling weights as described in the previous section.

Figure 1: Distribution of the Base Design Weights and Final Sampling Weight.





Figure 2: Distribution of the Base Design Weights and Final Sampling Weight.



Survey Items

Q1.1 Hello, my name is __. I am calling from the SSRC at Mississippi State University. We are doing a research study of Mississippi residents. We are interested in experiences and opinions of smokers and nonsmokers. This is a scientific study and is not affiliated with any political group. Your phone number was randomly selected. Your participation is completely voluntary. All responses will be confidential. You may discontinue the interview anytime and you may skip any items you prefer not to answer. The survey should only take about 15 minutes. May I begin?

Yes (start interview) (1)

COUNTY In which county do you live?

▼ Adams County (1) ... Refused (84)

SMELLSMK During the past SEVEN DAYS, in which of the following places have you smelled secondhand tobacco smoke?

	Yes (1)	No (2)	Don't Know (3)	Refused (4)
In your home (SMELLSMK_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
In your car (SMELLSMK_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
At work (SMELLSMK_3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
In an indoor public place, such as a restaurant or salon (SMELLSMK_4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

HOUSERULE Which statement best describes the rules about smoking in your home:

- no one is allowed to smoke anywhere, (1)
 - smoking is permitted in some places or at some times, or (2)
 - smoking is permitted anywhere? (3)
 - Don't Know (4)
 - Refused (5)
-

VAPERULE Vaping is a when a person uses an electronic device to create vapor which can be inhaled. The devices are known as e-cigarettes, vaping devices or JUUL. Which statement best describes the rules about vaping or using e-cigarettes in your home: Interviewer Note: "JUUL" is pronounced like "Jewel"

- no one is allowed to vape anywhere, (1)
 - vaping is permitted in some places or at some times, or (2)
 - vaping is permitted anywhere? (3)
 - Don't know (4)
 - Refused (5)
-

CARRULE Please tell me which best describes how cigarette smoking is handled in your car or the car you regularly travel in:

(Check all that apply)

- No one is allowed to smoke in the car, (1)
 - Only special guests are allowed to smoke in the car, (2)
 - People are allowed to smoke in the car only if the windows are open (3)
 - People are allowed to smoke if there are no children in the car (4)
 - People are allowed to smoke in the car at any time (5)
 - Does not apply (6)
 - Don't Know (7)
 - Refused (8)
-

CARVAPE Please tell me which best describes how vaping is handled in your car or the car you regularly travel in:

- No one is allowed to vape in the car, (1)
 - Only special guests are allowed to vape in the car, (2)
 - People are allowed to vape in the car only if the windows are open, or (3)
 - People are allowed to vape in the car at any time (4)
 - Does not apply (5)
 - Don't Know (6)
 - Refused (7)
-

RESAPT-OUDOORSMK In your opinion, should smoking be allowed in:

	Yes (1)	No (2)	Don't Know (3)	Refused (4)
the private residential units in apartments/condos? (1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
indoor common hallways/stairways of apartment/condo buildings? (2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
outdoor common areas (benches, doorways, parking lots) of apartment buildings? (3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
private apartments' balconies/patios? (4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
outdoor areas where non-smokers may be exposed? (5)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

TENANTS Tenants in apartment buildings, duplexes, and attached condos should be informed in the lease agreement whether smoking is allowed in any unit or common areas inside or outside the building. Do you:

- Strongly agree (1)
- Agree (2)
- Disagree (3)
- Strongly disagree (4)
- Don't Know (5)
- Refused (6)

STATELAW Would you favor or oppose a law in Mississippi that would prohibit smoking in most public places, including workplaces, public buildings, offices, restaurants, bars, and casinos?

- Favor (1)
 - Oppose (2)
 - Neither Favor nor Oppose (3)
 - Don't Know (4)
 - Refused (5)
-

TAX1 Would you support an increase in the tax on a pack of cigarettes?

- Yes (1)
 - No (2)
 - Depends on how the money was used (3)
 - Don't Know (4)
 - Refused (5)
-

AGEPURCH The age to buy tobacco products, including e-cigarettes, should be raised to 21. Do you:

- Strongly Agree (1)
 - Agree (2)
 - Disagree (3)
 - Strongly disagree (4)
 - Don't Know (5)
 - Refused (6)
-

AE1001 The next questions are about electronic cigarettes, also known as vaping devices.

Have you ever heard of an electronic cigarette before this survey?

- Yes (1)
 - No (2)
 - Don't Know (3)
 - Refused (4)
-

ECIGATT6a Manufacturing and safety standards should be provided for e-cigarettes. Do you:

- Strongly Agree (1)
 - Agree (2)
 - Disagree (3)
 - Strongly disagree (4)
 - Don't Know (5)
 - Refused (6)
-

ECIGATT9 E-Cigarette vapor is harmful to babies and children. Do you:

- Strongly Agree (1)
 - Agree (2)
 - Disagree (3)
 - Strongly disagree (4)
 - Don't Know (5)
 - Refused (6)
-

VAPEFREE E-cigarette use should not be allowed in places that prohibit smoking. Do you:

- Strongly Agree (1)
 - Agree (2)
 - Disagree (3)
 - Strongly disagree (4)
 - Don't Know (5)
 - Refused (6)
-

ECIGCHILD It is acceptable for parents to use an e-cigarette in front of children. Do you:

- Strongly Agree (1)
- Agree (2)
- Disagree (3)
- Strongly disagree (4)
- Don't Know (5)
- Refused (6)
-

PEOPLE Including yourself, how many people live in your household?

Enter 17 if More than 16
 Enter 18 for Don't know
 Enter 19 for Refused

Display This Question:

*If Including yourself, how many people live in your household? Text Response Is Greater Than 1
 And Including yourself, how many people live in your household? Text Response Is Less Than 18*

UNDER18 How many children under 18 years of age currently live in your household?

Enter 17 if More than 16
 Enter 18 for Don't know
 Enter 19 for Refused

Display This Question:

*If How many children under 18 years of age currently live in your household? Enter 17 if More than 16 Enter 18 for Don't know Enter 19 for Refused Text Response Is Greater Than 0
 And How many children under 18 years of age currently live in your household? Enter 17 if More than 16 Enter 18 for Don't know Enter 19 for Refused Text Response Is Less Than 18*

PARENT Are you the parent or legal guardian of any of the 0-17 year olds in your household?

- Yes (1)
- No (2)
- Don't Know (3)
- Refused (4)

Display This Question:

*If Including yourself, how many people live in your household? Text Response Is Greater Than 1
And Including yourself, how many people live in your household? Text Response Is Less Than 18*

HOUSEHOLD Including yourself, how many members of your household use tobacco?

Enter 0 for none

Enter 17 if More than 16

Enter 18 for Don't know

Enter 19 for Refused

Display This Question:

*If Including yourself, how many people live in your household? Text Response Is Greater Than 1
And Including yourself, how many people live in your household? Text Response Is Less Than 18*

HOUSEVAPE Including yourself, how many members of your household use e-cigarettes or vaping products?

Enter 0 for none

Enter 17 if More than 16

Enter 18 for Don't know

Enter 19 for Refused

Display This Question:

If Including yourself, how many members of your household use tobacco?<o:p></o:p> Enter 0 for none Enter 17 if More than 16 Enter 18 for Don't know Enter 19 for Refused Text Response Is Greater Than 0

HOUSEHOL2 How many members of your household smoke cigarettes?

Enter 0 for None

Enter 17 for More than 16

Enter 18 for Don't Know

Enter 19 for Refused

SMK100 Have you smoked at least 100 cigarettes in your entire life?

Yes (1)

No (2)

Don't Know (3)

Refused (4)

SMKNOW Do you now smoke cigarettes every day, some days or not at all?

Every day (1)

Some days (2)

Not at all (3)

Don't Know (4)

Refused (5)

Display This Question:

If Do you now smoke cigarettes every day, some days or not at all? = Every day

Or Do you now smoke cigarettes every day, some days or not at all? = Some days

SMKREG_YEARSandMONTH About how long have you been smoking regularly? Do not count the time you stayed off cigarettes.

Enter a value in both fields.

Enter 0 for none

Enter 888 for Don't Know

Enter 999 for Refused

Number of Years (1) _____

Number of Months (2) _____

Display This Question:

If Have you smoked at least 100 cigarettes in your entire life? = Yes

And Do you now smoke cigarettes every day, some days or not at all? = Not at all

HOWLONG About how long has it been since you last smoked cigarettes regularly?

Less than 1 month ago (1)

1 month but less than 3 months ago (2)

3 months but less than 6 months (3)

6 months but less than 1 year ago (4)

1 year but less than 5 years ago (5)

5 years but less than 10 years ago (6)

10 or more years ago (7)

Don't Know (8)

Refused (9)

Display This Question:

If Do you now smoke cigarettes every day, some days or not at all? = Every day

CIGDAY On average, how many cigarettes a day do you now smoke?

Note that 1 Pack = 20 Cigarettes

Enter 0 for None

Enter 97 for More than 96

Enter 98 for Don't Know

Enter 99 for Refused

Display This Question:

If Do you now smoke cigarettes every day, some days or not at all? = Some days

30DAYSMK On how many of the past 30 days did you smoke cigarettes?

Enter 0 for None

Enter 98 for Don't Know

Enter 99 for Refused

REGTOB Have you ever regularly used a tobacco product?

Yes (1)

No (2)

Don't Know (3)

Refused (4)

Display This Question:

If Have you ever regularly used a tobacco product? = Yes

CHEWDIP Have you chewed tobacco or used smokeless tobacco in the past 30 days?

Yes (1)

No (2)

Don't Know (3)

Refused (4)

Display This Question:

If Have you ever regularly used a tobacco product? = Yes

LITTLECIG1 Have you smoked little filtered cigars or a cigarillo, such as Black & Milds, in the past 30 days?

- Yes (1)
 - No (2)
 - Don't Know (3)
 - Refused (4)
-

Display This Question:

If Have you ever regularly used a tobacco product? = Yes

BIGCIG1 Have you smoked Large or Premium cigars in the past 30 days?

- Yes (1)
 - No (2)
 - Don't Know (3)
 - Refused (4)
-

Display This Question:

If The next questions are about electronic cigarettes, also known as vaping devices. Have you ever h... = Yes

EHARM Compared with cigarettes, how harmful are e-cigarettes to a person's health?

- Much less harmful than cigarettes (1)
- Somewhat less harmful than cigarettes (2)
- About the same as cigarettes (3)
- Somewhat more harmful than cigarettes (4)
- Much more harmful than cigarettes (5)
- Don't know (6)
- Refused (7)

Display This Question:

If The next questions are about electronic cigarettes, also known as vaping devices. Have you ever h... = Yes

EEVER Have you ever tried an e-cigarette or vaping device?

- Yes (1)
- No (2)
- Don't Know (3)
- Refused (4)

Display This Question:

If Have you ever tried an e-cigarette or vaping device? = Yes

EFREQUENCY How often do you now use an e-cigarette or vaping device?

- Daily or almost daily (1)
- Less than daily, but at lease once a week (2)
- Less than weekly, but at least once a month (3)
- Less than monthly (4)
- Not at all (5)
- Don't Know (6)
- Refused (7)

Display This Question:

If Have you ever tried an e-cigarette or vaping device? = Yes

And If

How often do you now use an e-cigarette or vaping device? = Less than daily, but at lease once a week

Or How often do you now use an e-cigarette or vaping device? = Less than weekly, but at least once a month

Or How often do you now use an e-cigarette or vaping device? = Less than monthly

EDAILY Have you ever used an e-cigarette or vaping device daily for a month or more?

- Yes (1)
 - No (2)
 - Don't Know (3)
 - Refused (4)
-

Display This Question:

If Have you ever tried an e-cigarette or vaping device? = Yes

EDEVICE What e-cigarette or vaping device do/did you use the most?

- A disposable e-cigarette or vaping device (Read, if necessary: non-rechargeable) (1)
 - An e-cigarette or vaping device that uses replaceable prefilled cartridges (Read, if necessary: rechargeable) (2)
 - A vaping device that uses pods, such as the Juul. (3)
 - An e-cigarette or vaping device with a tank that you refill with liquids (Read, if necessary: rechargeable) (4)
 - A modular system that you refill with liquids (Read, if necessary: you use your own combination of separate devices: batteries, atomizers, etc) (5)
 - Don't know (6)
 - Refused (7)
-

Display This Question:

If Have you ever tried an e-cigarette or vaping device? = Yes

EFLAVOR What flavor (do/did) you use most when vaping/using an e-cigarette or vaping device?

- Tobacco (1)
 - Tobacco menthol, menthol, or mint (2)
 - Some other flavor like fruit, candy, alcohol, coffee, vanilla, or so on (3)
 - Unflavored (4)
 - Did not use any one flavor most often (5)
 - Don't know (6)
 - Refused (7)
-

Display This Question:

If How often do you now use an e-cigarette or vaping device? = Less than weekly, but at least once a month

Or How often do you now use an e-cigarette or vaping device? = Less than daily, but at least once a week

Or How often do you now use an e-cigarette or vaping device? = Daily or almost daily

EREASON What is or was your primary reason for using an e-cigarette or vaping device?

- To quit smoking (1)
 - To cut down smoking (2)
 - To use when I cannot or am not allowed to smoke (3)
 - To avoid returning to smoking (4)
 - Because I enjoy(ed) it (5)
 - Curiosity/just wanted to try them (6)
 - Some other reason (7)
 - Don't know (8)
 - Refused (9)
-

Display This Question:

*If How often do you now use an e-cigarette or vaping device? = Less than weekly, but at least once a month
 Or How often do you now use an e-cigarette or vaping device? = Less than daily, but at least once a week
 Or How often do you now use an e-cigarette or vaping device? = Daily or almost daily*

ENIC Does the e-cigarette or vaping device that you use most often contain nicotine?

- Yes (1)
- No (2)
- Don't Know (3)
- Refused (4)

Display This Question:

*If How often do you now use an e-cigarette or vaping device? = Daily or almost daily
 Or How often do you now use an e-cigarette or vaping device? = Less than daily, but at least once a week
 Or How often do you now use an e-cigarette or vaping device? = Less than weekly, but at least once a month
 Or How often do you now use an e-cigarette or vaping device? = Less than monthly*

And If

*Do you now smoke cigarettes every day, some days or not at all? = Every day
 Or Do you now smoke cigarettes every day, some days or not at all? = Some days*

DUAL Was there ever a time in which you only used e-cigarettes, and did not smoke cigarettes?

- Yes (1)
- No (2)
- Don't Know (3)
- Refused (4)

Display This Question:

If How often do you now use an e-cigarette or vaping device? = Daily or almost daily

Or How often do you now use an e-cigarette or vaping device? = Less than daily, but at least once a week

Or How often do you now use an e-cigarette or vaping device? = Less than weekly, but at least once a month

Or How often do you now use an e-cigarette or vaping device? = Less than monthly

SKIRT Have you used an e-cigarette in a place where smoking is not allowed in the past 7 days?

- Yes (1)
 - No (2)
 - Don't Know (3)
 - Refused (4)
-

Display This Question:

If How often do you now use an e-cigarette or vaping device? = Not at all

WHYEQUIT1 The next questions are about the reasons people stop using e-cigarettes. Please select which reasons apply to you:

	Yes (1)	No (2)	Don't Know (3)	Refused (4)
I was just curious to try them and had no desire to continue using them. (WHYEQUIT1_1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Not satisfying (WHYEQUIT1_2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Too much hassle. (WHYEQUIT1_3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Look silly. (WHYEQUIT1_4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cost too much. (WHYEQUIT1_5)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Health risks. (WHYEQUIT1_6)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Friends disapprove. (WHYEQUIT1_7)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Display This Question:

If Do you now smoke cigarettes every day, some days or not at all? = Every day

Or Do you now smoke cigarettes every day, some days or not at all? = Some days

QUITSMK During the past 12 months, have you quit using tobacco for 1 day or longer because you were trying to quit?

- Yes (1)
- No (2)
- Don't Know (3)
- Refused (4)

PRIMARY Do you have your own primary care provider?

- Yes (1)
- No (2)
- Don't Know (3)
- Refused (4)

Display This Question:

If Do you have your own primary care provider? = Yes

PRIMVISIT During the past 12 months, how many times have you visited your primary care provider?

Enter 0 for none

Enter 97 for 96 or more

Enter 98 for Don't Know

Enter 99 for Refused

Display This Question:

If If During the past 12 months, how many times have you visited your primary care provider? Enter 0 for none Enter 97 for 96 or more Enter 98 for Don't Know Enter 99 for Refused Text Response Is Greater Than 0

And If

Do you now smoke cigarettes every day, some days or not at all? = Every day

Or Do you now smoke cigarettes every day, some days or not at all? = Some days

PRIMQUIT During how many of these visits were you advised to quit smoking?

Enter 0 for none

Enter 97 for 96 or more

Enter 98 for Don't Know

Enter 99 for Refused

Display This Question:

If If During the past 12 months, how many times have you visited your primary care provider? Enter 0 for none Enter 97 for 96 or more Enter 98 for Don't Know Enter 99 for Refused Text Response Is Greater Than 0

PRIMHS In the past 12 months, has your doctor asked you if any of your household members smoke?

- Yes (1)
- No (2)
- Don't Know (3)
- Refused (4)
-

Display This Question:

If During the past 12 months, how many times have you visited your primary care provider? Enter 0 fo... Text Response Is Greater Than 0

And Have you ever tried an e-cigarette or vaping device? = Yes

CARE1 In the past 12 months, has a health care provider discussed the potential benefits of e-cigarettes use with you?

- Yes (1)
- No (2)
- Don't Know (3)
- Refused (4)
-

Display This Question:

If During the past 12 months, how many times have you visited your primary care provider? Enter 0 fo... Text Response Is Greater Than 0

And Have you ever tried an e-cigarette or vaping device? = Yes

CARE2 In the past 12 months, has a health care provider discussed the potential harms of e-cigarettes use with you?

- Yes (1)
- No (2)
- Don't Know (3)
- Refused (4)
-

Display This Question:

If During the past 12 months, how many times have you visited your primary care provider? Enter 0 for... Text Response Is Greater Than 0

And Have you ever tried an e-cigarette or vaping device? = Yes

CARE3 In the past 12 months, has a health care provider discussed the potential harms of using e-cigarettes inside of your home?

- Yes (1)
 - No (2)
 - Don't Know (3)
 - Refused (4)
-

Display This Question:

If During the past 12 months, how many times have you visited your primary care provider? Enter 0 for... Text Response Is Greater Than 0

And Have you ever tried an e-cigarette or vaping device? = Yes

CARE5 In the past 12 months, has a health care provider discussed the potential harms of using e-cigarettes around children?

- Yes (1)
 - No (2)
 - Don't Know (3)
 - Refused (4)
-

Display This Question:

If During the past 12 months, how many times have you visited your primary care provider? Enter 0 for... Text Response Is Greater Than 0

And Have you ever tried an e-cigarette or vaping device? = Yes

CARE4 In the past 12 months, has a health care provider discussed the risk for poisoning from e-cigarette liquid to children?

- Yes (1)
 - No (2)
 - Don't Know (3)
 - Refused (4)
-

Display This Question:

If Are you the parent or legal guardian of any of the 0-17 year olds in your household? = Yes

CHLDPED In the past 12 months, did you accompany any of your children to a pediatrician or a family practitioner?

- Yes (1)
 - No (2)
 - Don't Know (3)
 - Refused (4)
-

Display This Question:

If In the past 12 months, did you accompany any of your children to a pediatrician or a family pract... = Yes

PEDPRAC Did this child visit a pediatrician or a family practitioner?

- Pediatrician (1)
 - Family Practitioner (2)
 - Some other type of healthcare provider (3)
 - Don't Know (4)
 - Refused (5)
-

Display This Question:

If In the past 12 months, did you accompany any of your children to a pediatrician or a family pract... = Yes

ASKANY In the past 12 months, did your child's doctor ask if anyone in the household smokes?

- Yes (1)
 - No (2)
 - Don't Know (3)
 - Refused (4)
-

Display This Question:

If In the past 12 months, did you accompany any of your children to a pediatrician or a family pract... = Yes

ASKTRIPLE1 In the past 12 months, did your child's doctor ask if you have a smokefree home?

- Yes (1)
 - No (2)
 - Don't Know (3)
 - Refused (4)
-

Display This Question:

If In the past 12 months, did you accompany any of your children to a pediatrician or a family pract... = Yes

ASKTRIPLE2 In the past 12 months, did your child's doctor ask if you have a smokefree car?

- Yes (1)
 - No (2)
 - Don't Know (3)
 - Refused (4)
-

Display This Question:

If In the past 12 months, did you accompany any of your children to a pediatrician or a family pract... = Yes

DISCUSS In the past 12 months, did your child's doctor discuss the dangers of secondhand smoke?

- Yes (1)
- No (2)
- Don't Know (3)
- Refused (4)

Display This Question:

If In the past 12 months, did you accompany any of your children to a pediatrician or a family pract... = Yes

And If

Do you now smoke cigarettes every day, some days or not at all? = Every day

Or Do you now smoke cigarettes every day, some days or not at all? = Some days

CHADY Did your child's doctor advise you to quit smoking?

- Yes (1)
- No (2)
- Don't Know (3)
- Refused (4)

Display This Question:

If In the past 12 months, did you accompany any of your children to a pediatrician or a family pract... = Yes

And If

Do you now smoke cigarettes every day, some days or not at all? = Every day

Or Do you now smoke cigarettes every day, some days or not at all? = Some days

REFER Did your child's doctor refer you for any additional services related to your smoking, such as quitline, local program, or a website?

- Yes (1)
 - No (2)
 - Don't Know (3)
 - Refused (4)
-

YEAR In what year were you born?
Enter -99 for Refused

HISPLAT Do you consider yourself Hispanic or Latino?

- Yes (1)
 - No (2)
 - Don't Know/Not Sure (3)
 - Refused (4)
-

RACE What is your race?

- White (1)
 - Black or African American (2)
 - American Indian/Alaska Native (3)
 - Asian or Pacific Islander (4)
 - Multi-racial (5)
 - Other (6) _____
 - Don't Know/ Not Sure (7)
 - Refused (8)
-

EDUCATION What was the last grade or year of school that you attended?

- Never attended school or only attended Kindergarten (1)
- Grades 1 - 8 (Elementary) (2)
- Grades 9 - 11 (Some High School) (3)
- Completed High School or GED equivalent (4)
- Some college or vocational program (5)
- Completed Associate degree (2-year program) (6)
- Completed Bachelors degree (4-year program) (7)
- Completed Masters degree (8)
- Beyond Masters degree (9)
- Don't Know/Not Sure (10)
- Refused (11)

DESCHOME Which of the following best describes the building in which you live? Would you say:

- a mobile home, (1)
 - a one-family house detached from any other house, (2)
 - a one-family house attached to one or more houses, or (3)
 - an apartment or condominium building? (4)
 - Other, specify (5) _____
 - Don't Know (6)
 - Refused (7)
-

RESRURURB Which of the following best describes your place of residence?

- a farm or ranch, (1)
 - rural but not on a farm, (2)
 - a town under 2,500 population, (3)
 - a town with 2,500 to 10,000, (4)
 - a city of 10,000 to 50,000, (5)
 - a city of 50,000 to 100,000, or (6)
 - a city larger than 100,000 (7)
 - Don't Know (8)
 - Refused (9)
-

POLITIC In politics today, do you consider yourself a Republican, Democrat, or an independent?

- Republican (1)
 - Democrat (2)
 - Independent (3)
 - Don't Know (4)
 - Refused (5)
-

Display This Question:

If In politics today, do you consider yourself a Republican, Democrat, or an independent? = Independent

LEAN As of today, do you lean more to the Democratic Party or the Republican Party?

- Democratic Party (1)
 - Republican Party (2)
 - Don't Know (3)
 - Refused (4)
-

Display This Question:

If In politics today, do you consider yourself a Republican, Democrat, or an independent? = Republican

Or In politics today, do you consider yourself a Republican, Democrat, or an independent? = Independent

TEA Do you align yourself with tea party values?

- Yes (1)
 - No (2)
 - Don't Know (3)
 - Refused (4)
-

REGVOTE Are you registered to vote?

- Yes (1)
 - No (2)
 - Don't Know (3)
 - Refused (4)
-

Display This Question:

If Are you registered to vote? = Yes

OFTVOTE How often do you vote? Would you say, always, nearly always, part of the time, seldom, or never?

- Always (1)
- Nearly always (2)
- Part of the time (3)
- Seldom (4)
- Never (5)
- Don't know (6)
- Refused (7)

SUBSIDIZE Do you receive any government assistance to pay for your rent or housing?

- Yes (1)
 - No (2)
 - Don't Know (3)
 - Refused (4)
-

HHINCOME I am going to read you a list of categories. Please stop me when I reach the category that best describes your 2017 household income from all sources before taxes.

- Less than \$10,000 (1)
 - \$10,000 to under \$15,000 (2)
 - \$15,000 to under \$20,000 (3)
 - \$20,000 to under \$25,000 (4)
 - \$25,000 to under \$35,000 (5)
 - \$35,000 to under \$50,000 (6)
 - \$50,000 to under \$75,000 (7)
 - \$75,000 to under \$100,000 (8)
 - \$100,000 to under \$150,000 (9)
 - \$150,000 to under \$200,000 (10)
 - \$200,000 or more (11)
 - Don't Know/Not Sure (12)
 - Refused (13)
-

GENDER With what gender do you identify?

- Man (1)
- Woman (2)
- Other (3) _____
- Refused (4)

Item Response Frequencies for Weighted Data

[COUNTY] In which county do you live?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Adams County	13	.9	.9	.9
	2 Alcorn County	17	1.1	1.1	2.0
	3 Amite County	8	.5	.5	2.5
	4 Attala County	12	.8	.8	3.3
	5 Benton County	5	.3	.3	3.7
	6 Bolivar County	19	1.3	1.3	4.9
	7 Calhoun County	8	.5	.5	5.5
	8 Carroll County	1	.1	.1	5.5
	9 Chickasaw County	11	.7	.7	6.3
	10 Choctaw County	8	.5	.5	6.8
	11 Claiborne County	4	.3	.3	7.1
	12 Clarke County	11	.7	.7	7.8
	13 Clay County	18	1.2	1.2	9.0
	14 Coahoma County	10	.7	.7	9.7
	15 Covich County	9	.6	.6	10.3
	16 Covington County	8	.5	.5	10.8
	17 DeSoto County	23	1.5	1.5	12.3
	18 Forrest County	32	2.1	2.1	14.5
	19 Franklin County	4	.3	.3	14.7
	20 George County	12	.8	.8	15.5
	21 Greene County	9	.6	.6	16.1
	22 Grenada County	10	.7	.7	16.8
	23 Hancock County	26	1.7	1.7	18.5
	24 Harrison County	121	8.1	8.1	26.6
	25 Hinds County	144	9.6	9.6	36.2
	26 Holmes County	8	.5	.5	36.7
	27 Humphreys County	2	.1	.1	36.9
	29 Itawamba County	6	.4	.4	37.3
	30 Jackson County	67	4.5	4.5	41.7
	31 Jasper County	9	.6	.6	42.3
	32 Jefferson County	4	.3	.3	42.6
	33 Jefferson Davis County	3	.2	.2	42.8
	34 Jones County	33	2.2	2.2	45.0
	35 Kemper County	9	.6	.6	45.6

36 Lafayette County	39	2.6	2.6	48.2
37 Lamar County	27	1.8	1.8	50.0
38 Lauderdale County	50	3.3	3.3	53.3
39 Lawrence County	2	.1	.1	53.5
40 Leake County	11	.7	.7	54.2
41 Lee County	46	3.1	3.1	57.3
42 Leflore County	16	1.1	1.1	58.3
43 Lincoln County	18	1.2	1.2	59.5
44 Lowndes County	38	2.5	2.5	62.1
45 Madison County	82	5.5	5.5	67.5
46 Marion County	14	.9	.9	68.5
47 Marshall County	5	.3	.3	68.8
48 Monroe County	20	1.3	1.3	70.1
49 Montgomery County	6	.4	.4	70.5
50 Neshoba County	9	.6	.6	71.1
51 Newton County	3	.2	.2	71.3
52 Noxubee County	5	.3	.3	71.7
53 Oktibbeha County	57	3.8	3.8	75.5
54 Panola County	8	.5	.5	76.0
55 Pearl River County	24	1.6	1.6	77.6
56 Perry County	7	.5	.5	78.1
57 Pike County	17	1.1	1.1	79.2
58 Pontotoc County	18	1.2	1.2	80.4
59 Prentiss County	7	.5	.5	80.9
60 Quitman County	3	.2	.2	81.1
61 Rankin County	85	5.7	5.7	86.7
62 Scott County	6	.4	.4	87.1
63 Sharkey County	3	.2	.2	87.3
64 Simpson County	11	.7	.7	88.1
65 Smith County	7	.5	.5	88.5
66 Stone County	6	.4	.4	88.9
67 Sunflower County	16	1.1	1.1	90.0
68 Tallahatchie County	3	.2	.2	90.2
69 Tate County	8	.5	.5	90.7
70 Tippah County	10	.7	.7	91.4
71 Tishomingo County	7	.5	.5	91.9
72 Tunica County	2	.1	.1	92.0

73 Union County	7	.5	.5	92.5
74 Walthall County	4	.3	.3	92.7
75 Warren County	37	2.5	2.5	95.2
76 Washington County	17	1.1	1.1	96.3
77 Wayne County	10	.7	.7	97.0
78 Webster County	9	.6	.6	97.6
79 Wilkinson County	2	.1	.1	97.7
80 Winston County	12	.8	.8	98.5
81 Yalobusha County	5	.3	.3	98.9
82 Yazoo County	17	1.1	1.1	100.0
Total	1500	100.0	100.0	

[SMELLSMK_1] ...smelled secondhand tobacco smoke? - In your home

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	228	15.2	15.2	15.2
2 No	1272	84.8	84.8	100.0
Total	1500	100.0	100.0	

[SMELLSMK_2] ...smelled secondhand tobacco smoke? - In your car

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	202	13.5	13.5	13.5
2 No	1297	86.5	86.5	100.0
Total	1499	99.9	100.0	
Missing 3 Don't Know	1	.1		
Total	1500	100.0		

[SMELLSMK_3] ...smelled secondhand tobacco smoke? - At work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	256	17.1	17.2	17.2
	2 No	1231	82.1	82.8	100.0
	Total	1487	99.1	100.0	
Missing	3 Don't Know	10	.7		
	4 Refused	3	.2		
	Total	13	.9		
Total		1500	100.0		

[SMELLSMK_4] ...smelled secondhand tobacco smoke? - In an indoor public place, such as a restaurant or salon

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	273	18.2	18.3	18.3
	2 No	1222	81.5	81.7	100.0
	Total	1495	99.7	100.0	
Missing	3 Don't Know	5	.3		
Total		1500	100.0		

[HOUSERULE] Which statement best describes the rules about smoking in your home:

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 no one is allowed to smoke anywhere,	1148	76.5	76.5	76.5
	2 smoking is permitted in some places or at some times, or	219	14.6	14.6	91.1
	3 smoking is permitted anywhere?	132	8.8	8.8	99.9
	4 Don't Know	1	.1	.1	100.0
Total		1500	100.0	100.0	

[VAPERULE] Which statement best describes the rules about vaping or using e-cigarettes in your home

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 no one is allowed to vape anywhere,	1102	73.5	73.5	73.5
2 vaping is permitted in some places or at some times, or	154	10.3	10.3	83.7
3 vaping is permitted anywhere?	202	13.5	13.5	97.2
4 Don't know	42	2.8	2.8	100.0
Total	1500	100.0	100.0	

[CARRULE_1] ...how cigarette smoking is handled in your car or the car you regularly travel in: No one is allowed to smoke in the car

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1167	77.8	77.8	77.8
2 No	332	22.1	22.1	99.9
3 Don't know	1	.1	.1	100.0
Total	1500	100.0	100.0	

[CARRULE_2] ...how cigarette smoking is handled in your car or the car you regularly travel in: Only special guests are allowed to smoke in the car

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	48	3.2	3.2	3.2
2 No	1426	95.1	95.1	98.3
3 Don't know	1	.1	.1	98.3
5 Does not apply	25	1.7	1.7	100.0
Total	1500	100.0	100.0	

[CARRULE_3] ...how cigarette smoking is handled in your car or the car you regularly travel in: People are allowed to smoke in the car only if the windows are open

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	162	10.8	10.8	10.8
	2 No	1312	87.5	87.5	98.3
	3 Don't know	1	.1	.1	98.3
	5 Does not apply	25	1.7	1.7	100.0
	Total	1500	100.0	100.0	

[CARRULE_4] ...how cigarette smoking is handled in your car or the car you regularly travel in: People are allowed to smoke if there are no children in the car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	101	6.7	6.7	6.7
	2 No	1373	91.5	91.5	98.3
	3 Don't know	1	.1	.1	98.3
	5 Does not apply	25	1.7	1.7	100.0
	Total	1500	100.0	100.0	

[CARRULE_5] ...how cigarette smoking is handled in your car or the car you regularly travel in: People are allowed to smoke in the car at any time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	71	4.7	4.7	4.7
	2 No	1403	93.5	93.5	98.3
	3 Don't know	1	.1	.1	98.3
	5 Does not apply	25	1.7	1.7	100.0
	Total	1500	100.0	100.0	

[CARVAPE] ...how vaping is handled in your car or the car you regularly travel in

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No one is allowed to vape in the car,	1111	74.1	77.6	77.6
	2 Only special guests are allowed to vape in the car,	34	2.3	2.4	80.0
	3 People are allowed to vape in the car only if the windows are open, or	135	9.0	9.4	89.4
	4 People are allowed to vape in the car at any time	151	10.1	10.5	99.9
	7 Refused	1	.1	.1	100.0
	Total	1432	95.5	100.0	
	Missing	5 Does not apply	58	3.9	
6 Don't Know		10	.7		
Total		68	4.5		
Total	1500	100.0			

[RESAPT_OUTDOORSMK_1] ...should smoking be allowed in the private residential units in
apartments/condos?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	703	46.9	49.7	49.7
	2 No	711	47.4	50.3	100.0
	Total	1414	94.3	100.0	
Missing	3 Don't Know	82	5.5		
	4 Refused	4	.3		
	Total	86	5.7		
Total	1500	100.0			

**[RESAPT_OUTDOORSMK_2] ...should smoking be allowed in indoor common hallways/stairways of
apartment/condo buildings?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	169	11.3	11.6	11.6
	2 No	1292	86.1	88.4	100.0
	Total	1461	97.4	100.0	
Missing	3 Don't Know	36	2.4		
	4 Refused	3	.2		
	Total	39	2.6		
Total		1500	100.0		

**[RESAPT_OUTDOORSMK_3] ...should smoking be allowed in outdoor common areas (benches, doorways,
parking lots) of apartment buildings?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	983	65.5	67.1	67.1
	2 No	482	32.1	32.9	100.0
	Total	1465	97.7	100.0	
Missing	3 Don't Know	33	2.2		
	4 Refused	2	.1		
	Total	35	2.3		
Total		1500	100.0		

[RESAPT_OUTDOORSMK_4] ...should smoking be allowed in private apartments' balconies/patios?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	974	64.9	67.2	67.2
	2 No	475	31.7	32.8	100.0
	Total	1449	96.6	100.0	
Missing	3 Don't Know	48	3.2		
	4 Refused	3	.2		
	Total	51	3.4		
Total		1500	100.0		

[RESAPT_OUTDOORSMK_5] ...should smoking be allowed in outdoor areas where non-smokers may be exposed?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	561	37.4	39.4	39.4
	2 No	862	57.5	60.6	100.0
	Total	1423	94.9	100.0	
Missing	3 Don't Know	75	5.0		
	4 Refused	2	.1		
	Total	77	5.1		
Total		1500	100.0		

[TENANTS] Tenants in apartment buildings, duplexes, and attached condos should be informed in the lease agreement whether smoking is allowed in any unit or common areas inside or outside the building.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Strongly agree	819	54.6	55.5	55.5
	2 Agree	569	37.9	38.5	94.0
	3 Disagree	65	4.3	4.4	98.4
	4 Strongly disagree	24	1.6	1.6	100.0
	Total	1477	98.5	100.0	
Missing	5 Don't Know	18	1.2		
	6 Refused	5	.3		
	Total	23	1.5		
Total		1500	100.0		

[STATELAW] Would you favor or oppose a law in Mississippi that would prohibit smoking in most public places, including workplaces, public buildings, offices, restaurants, bars, and casinos?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Favor	1072	71.5	72.9	72.9
	2 Oppose	311	20.7	21.1	94.0
	3 Neither Favor nor Oppose	88	5.9	6.0	100.0
	Total	1471	98.1	100.0	
Missing	4 Don't Know	27	1.8		
	5 Refused	2	.1		
	Total	29	1.9		
Total		1500	100.0		

[TAX1] Would you support an increase in the tax on a pack of cigarettes?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	872	58.1	60.9	60.9
	2 No	463	30.9	32.3	93.2
	3 Depends on how the money was used	97	6.5	6.8	100.0
	Total	1432	95.5	100.0	
Missing	4 Don't Know	62	4.1		
	5 Refused	6	.4		
	Total	68	4.5		
Total	1500	100.0			

[AGEPURCH] The age to buy tobacco products, including e-cigarettes, should be raised to 21. Do you:

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Strongly Agree	591	39.4	40.4	40.4
	2 Agree	529	35.3	36.1	76.5
	3 Disagree	241	16.1	16.5	93.0
	4 Strongly disagree	103	6.9	7.0	100.0
	Total	1464	97.6	100.0	
Missing	5 Don't Know	34	2.3		
	6 Refused	2	.1		
	Total	36	2.4		
Total	1500	100.0			

[AE1001] Have you ever heard of an electronic cigarette before this survey?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1388	92.5	92.8	92.8
	2 No	108	7.2	7.2	100.0
	Total	1496	99.7	100.0	
Missing	3 Don't Know	4	.3		
Total	1500	100.0			

[EGICATT6a] Manufacturing and safety standards should be provided for e-cigarettes.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Strongly Agree	771	51.4	54.6	54.6
	2 Agree	536	35.7	38.0	92.6
	3 Disagree	89	5.9	6.3	98.9
	4 Strongly disagree	15	1.0	1.1	100.0
	Total	1411	94.1	100.0	
Missing	5 Don't Know	87	5.8		
	6 Refused	2	.1		
	Total	89	5.9		
Total	1500	100.0			

[ECIGATT9] E-Cigarette vapor is harmful to babies and children.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Strongly Agree	563	37.5	48.5	48.5
	2 Agree	486	32.4	41.9	90.4
	3 Disagree	96	6.4	8.3	98.6
	4 Strongly disagree	16	1.1	1.4	100.0
	Total	1161	77.4	100.0	
Missing	5 Don't Know	338	22.5		
	6 Refused	1	.1		
	Total	339	22.6		
Total	1500	100.0			

[VAPEFREE] E-cigarette use should not be allowed in places that prohibit smoking.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Strongly Agree	615	41.0	43.5	43.5
	2 Agree	613	40.9	43.4	86.9
	3 Disagree	147	9.8	10.4	97.3
	4 Strongly disagree	38	2.5	2.7	100.0
	Total	1413	94.2	100.0	
Missing	5 Don't Know	87	5.8		
Total	1500	100.0			

[ECIGCHILD] It is acceptable for parents to use an e-cigarette in front of children.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Strongly Agree	47	3.1	3.4	3.4
	2 Agree	232	15.5	17.0	20.5
	3 Disagree	534	35.6	39.1	59.6
	4 Strongly disagree	551	36.7	40.4	100.0
	Total	1364	90.9	100.0	
Missing	5 Don't Know	134	8.9		
	6 Refused	2	.1		
	Total	136	9.1		
Total		1500	100.0		

[PEOPLE] Including yourself, how many people live in your household?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	240	16.0	16.0	16.0
	2	519	34.6	34.7	50.7
	3	270	18.0	18.0	68.8
	4	262	17.5	17.5	86.3
	5	128	8.5	8.6	94.9
	6	47	3.1	3.1	98.0
	7	12	.8	.8	98.8
	8	8	.5	.5	99.3
	9	5	.3	.3	99.7
	10	1	.1	.1	99.7
	11	1	.1	.1	99.8
	12	1	.1	.1	99.9
	13	1	.1	.1	99.9
	150	1	.1	.1	100.0
	Total	1496	99.7	100.0	
Missing	19 Refused	4	.3		
Total		1500	100.0		

[UNDER18] How many children under 18 years of age currently live in your household?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	709	47.3	56.5	56.5
	1	250	16.7	19.9	76.4
	2	178	11.9	14.2	90.6
	3	76	5.1	6.1	96.7
	4	27	1.8	2.2	98.8
	5	9	.6	.7	99.5
	6	2	.1	.2	99.7
	7	3	.2	.2	99.9
	10	1	.1	.1	100.0
	Total	1255	83.7	100.0	
Missing	System	245	16.3		
Total		1500	100.0		

[PARENT] Are you the parent or legal guardian of any of the 0-17 year olds in your household?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	442	29.5	81.0	81.0
	2 No	104	6.9	19.0	100.0
	Total	546	36.4	100.0	
Missing	System	954	63.6		
Total		1500	100.0		

[HOUSEHOLD] Including yourself, how many members of your household use tobacco?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	793	52.9	63.3	63.3
	1	278	18.5	22.2	85.5
	2	151	10.1	12.1	97.5
	3	26	1.7	2.1	99.6
	4	2	.1	.2	99.8
	5	2	.1	.2	99.9
	7	1	.1	.1	100.0
	Total	1253	83.5	100.0	
Missing	18 Don't know	2	.1		
	System	245	16.3		
	Total	247	16.5		
Total	1500	100.0			

[HOUSEVAPE] Including yourself, how many members of your household use e-cigarettes or vaping products?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1109	73.9	88.4	88.4
	1	110	7.3	8.8	97.2
	2	26	1.7	2.1	99.3
	3	6	.4	.5	99.8
	4	2	.1	.2	99.9
	5	1	.1	.1	100.0
	Total	1254	83.6	100.0	
	Missing	18 Don't know	1	.1	
System		245	16.3		
Total		246	16.4		
Total	1500	100.0			

[HOUSEHOL2] How many members of your household smoke cigarettes?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	103	6.9	22.4	22.4
	1	235	15.7	51.2	73.6
	2	99	6.6	21.6	95.2
	3	18	1.2	3.9	99.1
	4	2	.1	.4	99.6
	5	1	.1	.2	99.8
	7	1	.1	.2	100.0
	Total	459	30.6	100.0	
Missing	18 Don't know	3	.2		
	System	1038	69.2		
	Total	1041	69.4		
Total		1500	100.0		

[SMK100] Have you smoked at least 100 cigarettes in your entire life?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	593	39.5	39.9	39.9
	2 No	895	59.7	60.1	100.0
	Total	1488	99.2	100.0	
Missing	3 Don't Know	12	.8		
Total		1500	100.0		

[SMKNOW] Do you now smoke cigarettes every day, some days or not at all?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	176	11.7	11.8	11.8
	2 Some days	74	4.9	4.9	16.7
	3 Not at all	1247	83.1	83.3	100.0
	Total	1497	99.8	100.0	
Missing	4 Don't Know	2	.1		
	5 Refused	1	.1		
	Total	3	.2		
Total		1500	100.0		

[SMKREG_YEARSandMONTH_1] About how long have you been smoking regularly? Do not count the time you stayed off cigarettes. Number of Years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	9	.6	3.7	3.7
	1	3	.2	1.2	4.9
	2	5	.3	2.0	6.9
	3	2	.1	.8	7.7
	4	4	.3	1.6	9.3
	5	10	.7	4.1	13.4
	6	4	.3	1.6	15.0
	7	3	.2	1.2	16.3
	8	4	.3	1.6	17.9
	9	2	.1	.8	18.7
	10	21	1.4	8.5	27.2
	11	3	.2	1.2	28.5
	12	5	.3	2.0	30.5
	13	5	.3	2.0	32.5
	14	3	.2	1.2	33.7
	15	16	1.1	6.5	40.2
	16	3	.2	1.2	41.5
	17	2	.1	.8	42.3
	18	9	.6	3.7	45.9
	19	1	.1	.4	46.3
	20	22	1.5	8.9	55.3
	21	3	.2	1.2	56.5
	22	4	.3	1.6	58.1
	24	3	.2	1.2	59.3
	25	10	.7	4.1	63.4
	26	1	.1	.4	63.8
	27	1	.1	.4	64.2
	28	2	.1	.8	65.0
	29	3	.2	1.2	66.3
	30	9	.6	3.7	69.9
	32	1	.1	.4	70.3
	33	2	.1	.8	71.1
	34	1	.1	.4	71.5
	35	7	.5	2.8	74.4

36	1	.1	.4	74.8
37	4	.3	1.6	76.4
38	1	.1	.4	76.8
39	1	.1	.4	77.2
40	15	1.0	6.1	83.3
41	2	.1	.8	84.1
42	3	.2	1.2	85.4
45	6	.4	2.4	87.8
46	1	.1	.4	88.2
47	3	.2	1.2	89.4
48	1	.1	.4	89.8
50	13	.9	5.3	95.1
51	1	.1	.4	95.5
53	2	.1	.8	96.3
55	3	.2	1.2	97.6
56	2	.1	.8	98.4
60	3	.2	1.2	99.6
65	1	.1	.4	100.0
Total	246	16.4	100.0	
Missing				
888 Don't know	4	.3		
System	1250	83.3		
Total	1254	83.6		
Total	1500	100.0		

[SMKREG_YEARSandMONTH_2] About how long have you been smoking regularly? Do not count the time you stayed off cigarettes. Number of Months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	228	15.2	97.4	97.4
	1	2	.1	.9	98.3
	3	1	.1	.4	98.7
	6	3	.2	1.3	100.0
	Total	234	15.6	100.0	
Missing					
888 Don't know		16	1.1		
System		1250	83.3		
Total		1266	84.4		
Total		1500	100.0		

[HOWLONG] About how long has it been since you last smoked cigarettes regularly?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less than 1 month ago	2	.1	.6	.6
	2 1 month but less than 3 months ago	5	.3	1.4	2.0
	3 3 months but less than 6 months	7	.5	2.0	4.0
	4 6 months but less than 1 year ago	16	1.1	4.6	8.6
	5 1 year but less than 5 years ago	47	3.1	13.4	22.0
	6 5 years but less than 10 years ago	50	3.3	14.3	36.3
	7 10 or more years ago	223	14.9	63.7	100.0
	Total	350	23.3	100.0	
Missing	8 Don't Know	2	.1		
	System	1148	76.5		
	Total	1150	76.7		
Total	1500	100.0			

[CIGDAY] On average, how many cigarettes a day do you now smoke?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	.2	1.7	1.7
	2	2	.1	1.1	2.9
	3	3	.2	1.7	4.6
	4	3	.2	1.7	6.3
	5	8	.5	4.6	10.9
	6	5	.3	2.9	13.7
	7	3	.2	1.7	15.4
	8	4	.3	2.3	17.7
	9	2	.1	1.1	18.9
	10	32	2.1	18.3	37.1
	11	1	.1	.6	37.7
	12	6	.4	3.4	41.1
	14	1	.1	.6	41.7
	15	20	1.3	11.4	53.1
	17	1	.1	.6	53.7
	19	1	.1	.6	54.3
	20	63	4.2	36.0	90.3
	27	1	.1	.6	90.9
	30	10	.7	5.7	96.6

	40	3	.2	1.7	98.3
	48	1	.1	.6	98.9
	50	1	.1	.6	99.4
	60	1	.1	.6	100.0
	Total	175	11.7	100.0	
Missing	98 Don't know	1	.1		
	System	1324	88.3		
	Total	1325	88.3		
Total		1500	100.0		

[A30DAYSMK] On how many of the past 30 days did you smoke cigarettes?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	8	.5	11.0	11.0
	2	5	.3	6.8	17.8
	3	2	.1	2.7	20.5
	4	1	.1	1.4	21.9
	5	4	.3	5.5	27.4
	6	3	.2	4.1	31.5
	7	1	.1	1.4	32.9
	10	6	.4	8.2	41.1
	12	1	.1	1.4	42.5
	14	2	.1	2.7	45.2
	15	6	.4	8.2	53.4
	16	1	.1	1.4	54.8
	18	2	.1	2.7	57.5
	20	11	.7	15.1	72.6
	21	1	.1	1.4	74.0
	23	1	.1	1.4	75.3
	25	3	.2	4.1	79.5
	26	2	.1	2.7	82.2
	30	13	.9	17.8	100.0
	Total	73	4.9	100.0	
Missing	98 Don't know	1	.1		
	System	1426	95.1		
	Total	1427	95.1		
Total		1500	100.0		

[REGTOB] Have you ever regularly used a tobacco product?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	490	32.7	32.7	32.7
	2 No	1008	67.2	67.3	100.0
	Total	1498	99.9	100.0	
Missing	3 Don't Know	2	.1		
Total		1500	100.0		

[CHEWDIP] Have you chewed tobacco or used smokeless tobacco in the past 30 days?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	86	5.7	17.6	17.6
	2 No	404	26.9	82.4	100.0
	Total	490	32.7	100.0	
Missing	System	1010	67.3		
Total		1500	100.0		

[LITTLECIG1] Have you smoked little filtered cigars or a cigarillo, such as Black & Milds, in the past 30 days?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	53	3.5	10.8	10.8
	2 No	437	29.1	89.2	100.0
	Total	490	32.7	100.0	
Missing	System	1010	67.3		
Total		1500	100.0		

[BIGCIG1] Have you smoked Large or Premium cigars in the past 30 days?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	18	1.2	3.7	3.7
	2 No	471	31.4	96.3	100.0
	Total	489	32.6	100.0	
Missing	3 Don't Know	1	.1		
	System	1010	67.3		
	Total	1011	67.4		
Total		1500	100.0		

[EHARM] Compared with cigarettes, how harmful are e-cigarettes to a person's health?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Much less harmful than cigarettes	108	7.2	11.2	11.2
	2 Somewhat less harmful than cigarettes	237	15.8	24.5	35.7
	3 About the same as cigarettes	424	28.3	43.8	79.5
	4 Somewhat more harmful than cigarettes	62	4.1	6.4	85.9
	5 Much more harmful than cigarettes	136	9.1	14.1	100.0
Total		967	64.5	100.0	
Missing	6 Don't know	420	28.0		
	7 Refused	1	.1		
	System	112	7.5		
Total		533	35.5		
Total		1500	100.0		

[EEVER] Have you ever tried an e-cigarette or vaping device?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	323	21.5	23.3	23.3
	2 No	1065	71.0	76.7	100.0
	Total	1388	92.5	100.0	
Missing	System	112	7.5		
Total		1500	100.0		

[EFREQUENCY] How often do you now use an e-cigarette or vaping device?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Daily or almost daily	51	3.4	15.8	15.8
	2 Less than daily, but at least once a week	17	1.1	5.3	21.1
	3 Less than weekly, but at least once a month	5	.3	1.6	22.7
	4 Less than monthly	32	2.1	9.9	32.6
	5 Not at all	217	14.5	67.4	100.0
	Total	322	21.5	100.0	
Missing	6 Don't Know	1	.1		
	System	1177	78.5		
	Total	1178	78.5		
Total		1500	100.0		

[EDAILY] Have you ever used an e-cigarette or vaping device daily for a month or more?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	10	.7	33.3	33.3
	2 No	20	1.3	66.7	100.0
	Total	30	2.0	100.0	
Missing	System	1470	98.0		
Total		1500	100.0		

[EDEVICE] What e-cigarette or vaping device do/did you use the most?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A disposable e-cigarette or vaping device (Read, if necessary: non-rechargeable)	38	2.5	14.2	14.2
	2 An e-cigarette or vaping device that uses replaceable prefilled cartridges (Read, if necessary: rechargeable)	71	4.7	26.6	40.8
	3 A vaping device that uses pods, such as the Juul.	25	1.7	9.4	50.2
	4 An e-cigarette or vaping device with a tank that you refill with liquids (Read, if necessary: rechargeable)	106	7.1	39.7	89.9
	5 A modular system that you refill with liquids (Read, if necessary: you use your own combination of separate devices: batteries, atomizers, etc)	27	1.8	10.1	100.0
	Total	267	17.8	100.0	
Missing	6 Don't know	55	3.7		
	7 Refused	1	.1		
	System	1177	78.5		
	Total	1233	82.2		
Total	1500	100.0			

[EFLAVOR] What flavor (do/did) you use most when vaping/using an e-cigarette or vaping device?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Tobacco	38	2.5	14.1	14.1
	2 Tobacco menthol, menthol, or mint	55	3.7	20.4	34.6
	3 Some other flavor like fruit, candy, alcohol, coffee, vanilla, or so on	161	10.7	59.9	94.4
	4 Unflavored	10	.7	3.7	98.1
	5 Did not use any one flavor most often	5	.3	1.9	100.0
	Total	269	17.9	100.0	
Missing	6 Don't know	54	3.6		
	System	1177	78.5		
	Total	1231	82.1		
Total	1500	100.0			

[EREASON] What is or was your primary reason for using an e-cigarette or vaping device?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 To quit smoking	35	2.3	49.3	49.3
	2 To cut down smoking	7	.5	9.9	59.2
	3 To use when I cannot or am not allowed to smoke	2	.1	2.8	62.0
	4 To avoid returning to smoking	5	.3	7.0	69.0
	5 Because I enjoy(ed) it	7	.5	9.9	78.9
	6 Curiosity/just wanted to try them	9	.6	12.7	91.5
	7 Some other reason	6	.4	8.5	100.0
	Total	71	4.7	100.0	
Missing	8 Don't know	2	.1		
	System	1427	95.1		
	Total	1429	95.3		
Total	1500	100.0			

[ENIC] Does the e-cigarette or vaping device that you use most often contain nicotine?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	59	3.9	83.1	83.1
	2 No	12	.8	16.9	100.0
	Total	71	4.7	100.0	
Missing	3 Don't Know	2	.1		
	System	1427	95.1		
	Total	1429	95.3		
Total		1500	100.0		

[DUAL] Was there ever a time in which you only used e-cigarettes, and did not smoke cigarettes?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	21	1.4	45.7	45.7
	2 No	25	1.7	54.3	100.0
	Total	46	3.1	100.0	
Missing	System	1454	96.9		
Total		1500	100.0		

[SKIRT] Have you used an e-cigarette in a place where smoking is not allowed in the past 7 days?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	27	1.8	25.7	25.7
	2 No	78	5.2	74.3	100.0
	Total	105	7.0	100.0	
Missing	System	1395	93.0		
Total		1500	100.0		

[WHYEQUIT1_1] ...reasons people stop using e-cigarettes - I was just curious to try them and had no desire

to continue using them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	162	10.8	75.3	75.3
	2 No	53	3.5	24.7	100.0
	Total	215	14.3	100.0	
Missing	3 Don't Know	2	.1		
	System	1283	85.5		
	Total	1285	85.7		
Total		1500	100.0		

[WHYEQUIT1_2] ...reasons people stop using e-cigarettes - Not satisfying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	106	7.1	49.8	49.8
	2 No	107	7.1	50.2	100.0
	Total	213	14.2	100.0	
Missing	3 Don't Know	4	.3		
	System	1283	85.5		
	Total	1287	85.8		
Total		1500	100.0		

[WHYEQUIT1_3] ...reasons people stop using e-cigarettes - Too much hassle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	94	6.3	43.7	43.7
	2 No	121	8.1	56.3	100.0
	Total	215	14.3	100.0	
Missing	3 Don't Know	2	.1		
	System	1283	85.5		
	Total	1285	85.7		
Total		1500	100.0		

[WHYEQUIT1_4] ...reasons people stop using e-cigarettes - Look silly

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	60	4.0	27.8	27.8
	2 No	156	10.4	72.2	100.0
	Total	216	14.4	100.0	
Missing	3 Don't Know	1	.1		
	System	1283	85.5		
	Total	1284	85.6		
Total		1500	100.0		

[WHYEQUIT1_5] ...reasons people stop using e-cigarettes - Cost too much

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	83	5.5	39.7	39.7
	2 No	126	8.4	60.3	100.0
	Total	209	13.9	100.0	
Missing	3 Don't Know	8	.5		
	System	1283	85.5		
	Total	1291	86.1		
Total		1500	100.0		

[WHYEQUIT1_6] ...reasons people stop using e-cigarettes - Health risks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	89	5.9	43.2	43.2
	2 No	117	7.8	56.8	100.0
	Total	206	13.7	100.0	
Missing	3 Don't Know	11	.7		
	System	1283	85.5		
	Total	1294	86.3		
Total		1500	100.0		

[WHYEQUIT1_7] ...reasons people stop using e-cigarettes - Friends disapprove.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	24	1.6	11.3	11.3
	2 No	189	12.6	88.7	100.0
	Total	213	14.2	100.0	
Missing	3 Don't Know	4	.3		
	System	1283	85.5		
	Total	1287	85.8		
Total		1500	100.0		

[QUITSMK] During the past 12 months, have you quit using tobacco for 1 day or longer because you were trying to quit?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	149	9.9	59.6	59.6
	2 No	101	6.7	40.4	100.0
	Total	250	16.7	100.0	
Missing	System	1250	83.3		
Total		1500	100.0		

[PRIMARY] Do you have your own primary care provider?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1270	84.7	84.8	84.8
	2 No	228	15.2	15.2	100.0
	Total	1498	99.9	100.0	
Missing	3 Don't Know	2	.1		
Total		1500	100.0		

[PRIMVISIT] During the past 12 months, how many times have you visited your primary care provider?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	102	6.8	8.3	8.3
	1	320	21.3	26.0	34.2
	2	319	21.3	25.9	60.1
	3	171	11.4	13.9	74.0
	4	1	.1	.1	74.0
	4	143	9.5	11.6	85.6
	5	31	2.1	2.5	88.2
	6	53	3.5	4.3	92.5
	7	2	.1	.2	92.6
	8	6	.4	.5	93.1
	9	2	.1	.2	93.3
	10	27	1.8	2.2	95.5
	12	37	2.5	3.0	98.5
	15	4	.3	.3	98.8
	17	1	.1	.1	98.9
	20	2	.1	.2	99.0
	24	5	.3	.4	99.4
	25	1	.1	.1	99.5
	26	1	.1	.1	99.6
	36	2	.1	.2	99.8
48	1	.1	.1	99.8	
50	1	.1	.1	99.9	
52	1	.1	.1	100.0	
	Total	1233	82.2	100.0	
Missing	98 Don't know	28	1.9		
	99 Refused	9	.6		
	System	230	15.3		
	Total	267	17.8		
Total		1500	100.0		

[PRIMQUIT] During how many of these visits were you advised to quit smoking?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	44	2.9	28.2	28.2
	1	25	1.7	16.0	44.2
	2	24	1.6	15.4	59.6
	3	11	.7	7.1	66.7
	4	24	1.6	15.4	82.1
	5	2	.1	1.3	83.3
	6	6	.4	3.8	87.2
	8	1	.1	.6	87.8
	10	4	.3	2.6	90.4
	12	8	.5	5.1	95.5
	15	1	.1	.6	96.2
	97 96 or more	6	.4	3.8	100.0
	Total	156	10.4	100.0	
	Missing	98 Don't know	10	.7	
System		1334	88.9		
Total		1344	89.6		
Total	1500	100.0			

[PRIMHS] In the past 12 months, has your doctor asked you if any of your household members smoke?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	507	33.8	44.5	44.5
	2 No	632	42.1	55.5	100.0
	Total	1139	75.9	100.0	
Missing	3 Don't Know	27	1.8		
	4 Refused	2	.1		
	System	332	22.1		
Total	361	24.1			
Total	1500	100.0			

[CARE1] In the past 12 months, has a health care provider discussed the potential benefits of e-cigarettes

use with you?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	17	1.1	8.3	8.3
	2 No	189	12.6	91.7	100.0
	Total	206	13.7	100.0	
Missing	3 Don't Know	2	.1		
	4 Refused	1	.1		
	System	1291	86.1		
	Total	1294	86.3		
Total	1500	100.0			

[CARE2] In the past 12 months, has a health care provider discussed the potential harms of e-cigarettes use

with you?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	20	1.3	9.7	9.7
	2 No	186	12.4	90.3	100.0
	Total	206	13.7	100.0	
Missing	3 Don't Know	2	.1		
	4 Refused	1	.1		
	System	1291	86.1		
	Total	1294	86.3		
Total	1500	100.0			

[CARE3] In the past 12 months, has a health care provider discussed the potential harms of using e-

cigarettes inside of your home?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	11	.7	5.3	5.3
	2 No	195	13.0	94.7	100.0
	Total	206	13.7	100.0	
Missing	3 Don't Know	2	.1		
	4 Refused	1	.1		
	System	1291	86.1		
	Total	1294	86.3		
Total	1500	100.0			

[CARE5] In the past 12 months, has a health care provider discussed the potential harms of using e-cigarettes around children?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	12	.8	5.8	5.8
	2 No	194	12.9	94.2	100.0
	Total	206	13.7	100.0	
Missing	3 Don't Know	2	.1		
	4 Refused	1	.1		
	System	1291	86.1		
	Total	1294	86.3		
Total		1500	100.0		

[CARE4] In the past 12 months, has a health care provider discussed the risk for poisoning from e-cigarette liquid to children?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	13	.9	6.3	6.3
	2 No	194	12.9	93.7	100.0
	Total	207	13.8	100.0	
Missing	3 Don't Know	1	.1		
	4 Refused	1	.1		
	System	1291	86.1		
	Total	1293	86.2		
Total		1500	100.0		

[CHILDPED] In the past 12 months, did you accompany any of your children to a pediatrician or a family practitioner?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	365	24.3	82.6	82.6
	2 No	76	5.1	17.2	99.8
	4 Refused	1	.1	.2	100.0
	Total	442	29.5	100.0	
Missing	System	1058	70.5		
Total		1500	100.0		

[PEDPRAC] Did this child visit a pediatrician or a family practitioner?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Pediatrician	256	17.1	70.5	70.5
	2 Family Practitioner	95	6.3	26.2	96.7
	3 Some other type of healthcare provider	12	.8	3.3	100.0
	Total	363	24.2	100.0	
Missing	4 Don't Know	2	.1		
	System	1135	75.7		
	Total	1137	75.8		
Total	1500	100.0			

[ASKANY] In the past 12 months, did your child's doctor ask if anyone in the household smokes?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	213	14.2	60.5	60.5
	2 No	139	9.3	39.5	100.0
	Total	352	23.5	100.0	
Missing	3 Don't Know	13	.9		
	System	1135	75.7		
	Total	1148	76.5		
Total	1500	100.0			

[ASKTRIPLE1] In the past 12 months, did your child's doctor ask if you have a smokefree home?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	183	12.2	52.0	52.0
	2 No	169	11.3	48.0	100.0
	Total	352	23.5	100.0	
Missing	3 Don't Know	13	.9		
	System	1135	75.7		
	Total	1148	76.5		
Total	1500	100.0			

[ASKTRIPLE2] In the past 12 months, did your child's doctor ask if you have a smokefree car?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	107	7.1	30.4	30.4
	2 No	245	16.3	69.6	100.0
	Total	352	23.5	100.0	
Missing	3 Don't Know	13	.9		
	System	1135	75.7		
	Total	1148	76.5		
Total		1500	100.0		

[DISCUSS] In the past 12 months, did your child's doctor discuss the dangers of secondhand smoke?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	113	7.5	31.4	31.4
	2 No	247	16.5	68.6	100.0
	Total	360	24.0	100.0	
Missing	3 Don't Know	5	.3		
	System	1135	75.7		
	Total	1140	76.0		
Total		1500	100.0		

[CHADY] Did your child's doctor advise you to quit smoking?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	18	1.2	43.9	43.9
	2 No	23	1.5	56.1	100.0
	Total	41	2.7	100.0	
Missing	System	1459	97.3		
Total		1500	100.0		

[REFER] Did your child's doctor refer you for any additional services related to your smoking, such as quitline, local program, or a website?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5	.3	12.2	12.2
	2 No	36	2.4	87.8	100.0
	Total	41	2.7	100.0	
Missing	System	1459	97.3		
Total		1500	100.0		

[DESCHOME] Which of the following best describes the building in which you live?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 a mobile home,	155	10.3	10.4	10.4
	2 a one-family house detached from any other house,	1137	75.8	76.2	86.5
	3 a one-family house attached to one or more houses, or	25	1.7	1.7	88.2
	4 an apartment or condominium building?	162	10.8	10.9	99.1
	5 Other, specify	14	.9	.9	100.0
	Total	1493	99.5	100.0	
Missing	6 Don't Know	2	.1		
	7 Refused	5	.3		
	Total	7	.5		
Total		1500	100.0		

OPEN ENDED RESPONSE FOR [DESCHOME]: "OTHER"

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1486	99.1	99.1	99.1
duplex	1	.1	.1	99.1
dorm	1	.1	.1	99.2
homemade home - modified open shell home w/ 2 rooms added	1	.1	.1	99.3
manufactured housing	1	.1	.1	99.3
mobile and apartment	1	.1	.1	99.4
motel	1	.1	.1	99.5
motorhome	1	.1	.1	99.5
nursing home	1	.1	.1	99.6
own home	1	.1	.1	99.7
personal care home	1	.1	.1	99.7
rental house	1	.1	.1	99.8
senior living duplex	1	.1	.1	99.9
single dwelling	1	.1	.1	99.9
trailer with attachments	1	.1	.1	100.0
Total	1500	100.0	100.0	

[SUBSIDIZE] Do you receive any government assistance to pay for your rent or housing?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	60	4.0	4.0	4.0
	2 No	1431	95.4	96.0	100.0
	Total	1491	99.4	100.0	
Missing	3 Don't Know	1	.1		
	4 Refused	8	.5		
	Total	9	.6		
Total		1500	100.0		

[POLITIC] In politics today, do you consider yourself a Republican, Democrat, or an independent?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Republican	508	33.9	39.8	39.8
	2 Democrat	412	27.5	32.3	72.1
	3 Independent	356	23.7	27.9	100.0
	Total	1276	85.1	100.0	
Missing	4 Don't Know	105	7.0		
	5 Refused	119	7.9		
	Total	224	14.9		
Total		1500	100.0		

[LEAN] As of today, do you lean more to the Democratic Party or the Republican Party?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Democratic Party	98	6.5	43.9	43.9
	2 Republican Party	125	8.3	56.1	100.0
	Total	223	14.9	100.0	
Missing	3 Don't Know	99	6.6		
	4 Refused	34	2.3		
	System	1144	76.3		
	Total	1277	85.1		
Total		1500	100.0		

[TEA] Do you align yourself with tea party values?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	269	17.9	37.4	37.4
	2 No	451	30.1	62.6	100.0
	Total	720	48.0	100.0	
Missing	3 Don't Know	132	8.8		
	4 Refused	12	.8		
	System	636	42.4		
	Total	780	52.0		
Total		1500	100.0		

[REGVOTE] Are you registered to vote?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1375	91.7	92.2	92.2
	2 No	117	7.8	7.8	100.0
	Total	1492	99.5	100.0	
Missing	3 Don't Know	6	.4		
	4 Refused	2	.1		
	Total	8	.5		
Total		1500	100.0		

[OFTVOTE] How often do you vote?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	786	52.4	57.5	57.5
	2 Nearly always	356	23.7	26.0	83.5
	3 Part of the time	125	8.3	9.1	92.7
	4 Seldom	55	3.7	4.0	96.7
	5 Never	45	3.0	3.3	100.0
	Total	1367	91.1	100.0	
Missing	6 Don't know	6	.4		
	7 Refused	2	.1		
	System	125	8.3		
	Total	133	8.9		
Total		1500	100.0		

[RESRURURB] Which of the following best describes your place of residence?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 a farm or ranch,	109	7.3	8.1	8.1
	2 rural but not on a farm,	369	24.6	27.4	35.4
	3 a town under 2,500 population,	117	7.8	8.7	44.1
	4 a town with 2,500 to 10,000,	241	16.1	17.9	62.0
	5 a city of 10,000 to 50,000,	300	20.0	22.2	84.2
	6 a city of 50,000 to 100,000, or	125	8.3	9.3	93.5
	7 a city larger than 100,000	88	5.9	6.5	100.0
	Total	1349	89.9	100.0	
Missing	8 Don't Know	145	9.7		
	9 Refused	6	.4		
	Total	151	10.1		
Total	1500	100.0			

[YEAR] In what year were you born?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1922	1	.1	.1	.1
	1926	2	.1	.1	.2
	1927	1	.1	.1	.3
	1929	4	.3	.3	.6
	1930	4	.3	.3	.8
	1932	2	.1	.1	1.0
	1933	3	.2	.2	1.2
	1934	6	.4	.4	1.6
	1935	7	.5	.5	2.1
	1936	3	.2	.2	2.3
	1937	12	.8	.8	3.1
	1938	17	1.1	1.2	4.3
	1939	8	.5	.6	4.9
	1940	7	.5	.5	5.3
	1941	17	1.1	1.2	6.5
	1942	16	1.1	1.1	7.6
	1943	17	1.1	1.2	8.8
	1944	13	.9	.9	9.7
	1945	16	1.1	1.1	10.8
	1946	22	1.5	1.5	12.4

1947	20	1.3	1.4	13.7
1948	25	1.7	1.7	15.5
1949	24	1.6	1.7	17.1
1950	23	1.5	1.6	18.7
1951	20	1.3	1.4	20.1
1952	35	2.3	2.4	22.6
1953	34	2.3	2.4	24.9
1954	28	1.9	1.9	26.9
1955	23	1.5	1.6	28.5
1956	28	1.9	1.9	30.4
1957	25	1.7	1.7	32.1
1958	32	2.1	2.2	34.4
1959	17	1.1	1.2	35.5
1960	24	1.6	1.7	37.2
1961	25	1.7	1.7	38.9
1962	34	2.3	2.4	41.3
1963	32	2.1	2.2	43.5
1964	21	1.4	1.5	45.0
1965	37	2.5	2.6	47.5
1966	35	2.3	2.4	50.0
1967	28	1.9	1.9	51.9
1968	28	1.9	1.9	53.9
1969	26	1.7	1.8	55.7
1970	31	2.1	2.2	57.8
1971	22	1.5	1.5	59.3
1972	23	1.5	1.6	60.9
1973	18	1.2	1.2	62.2
1974	20	1.3	1.4	63.6
1975	16	1.1	1.1	64.7
1976	13	.9	.9	65.6
1977	33	2.2	2.3	67.9
1978	18	1.2	1.2	69.1
1979	16	1.1	1.1	70.2
1980	25	1.7	1.7	72.0
1981	23	1.5	1.6	73.6
1982	27	1.8	1.9	75.4
1983	18	1.2	1.2	76.7

1984	11	.7	.8	77.4
1985	28	1.9	1.9	79.4
1986	20	1.3	1.4	80.8
1987	15	1.0	1.0	81.8
1988	18	1.2	1.2	83.1
1989	23	1.5	1.6	84.7
1990	25	1.7	1.7	86.4
1991	20	1.3	1.4	87.8
1992	32	2.1	2.2	90.0
1993	18	1.2	1.2	91.3
1994	13	.9	.9	92.2
1995	14	.9	1.0	93.1
1996	18	1.2	1.2	94.4
1997	19	1.3	1.3	95.7
1998	24	1.6	1.7	97.4
1999	22	1.5	1.5	98.9
2000	16	1.1	1.1	100.0
Total	1441	96.1	100.0	
Missing -99 Refused	59	3.9		
Total	1500	100.0		

[HISPLAT] Do you consider yourself Hispanic or Latino?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	26	1.7	1.7	1.7
	2 No	1470	98.0	98.3	100.0
	Total	1496	99.7	100.0	
Missing	3 Don't Know/Not Sure	3	.2		
	4 Refused	1	.1		
	Total	4	.3		
Total		1500	100.0		

[RACE] What is your race?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 White	887	59.1	59.7	59.7
	2 Black or African American	543	36.2	36.5	96.2
	3 American Indian/Alaska Native	7	.5	.5	96.7
	4 Asian or Pacific Islander	4	.3	.3	97.0
	5 Multi-racial	29	1.9	2.0	98.9
	6 Other	16	1.1	1.1	100.0
	Total	1486	99.1	100.0	
Missing	7 Don't Know/ Not Sure	2	.1		
	8 Refused	12	.8		
	Total	14	.9		
Total	1500	100.0			

[EDUCATION] What was the last grade or year of school that you attended?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Grades 1 - 8 (Elementary)	15	1.0	1.0	1.0
	3 Grades 9 - 11 (Some High School)	90	6.0	6.0	7.1
	4 Completed High School or GED equivalent	363	24.2	24.4	31.5
	5 Some college or vocational program	354	23.6	23.8	55.2
	6 Completed Associate degree (2- year program)	183	12.2	12.3	67.5
	7 Completed Bachelors degree (4- year program)	269	17.9	18.1	85.6
	8 Completed Masters degree	168	11.2	11.3	96.9
	9 Beyond Masters degree	46	3.1	3.1	100.0
	Total	1488	99.2	100.0	
Missing	10 Don't Know/Not Sure	4	.3		
	11 Refused	8	.5		
	Total	12	.8		
Total	1500	100.0			

[HHINCOME] Household income

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less than \$10,000	105	7.0	9.0	9.0
	2 \$10,000 to under \$15,000	79	5.3	6.8	15.8
	3 \$15,000 to under \$20,000	70	4.7	6.0	21.9
	4 \$20,000 to under \$25,000	67	4.5	5.8	27.6
	5 \$25,000 to under \$35,000	126	8.4	10.8	38.5
	6 \$35,000 to under \$50,000	167	11.1	14.4	52.8
	7 \$50,000 to under \$75,000	179	11.9	15.4	68.2
	8 \$75,000 to under \$100,000	151	10.1	13.0	81.2
	9 \$100,000 to under \$150,000	127	8.5	10.9	92.2
	10 \$150,000 to under \$200,000	43	2.9	3.7	95.9
	11 \$200,000 or more	48	3.2	4.1	100.0
Total		1162	77.5	100.0	
Missing	12 Don't Know/Not Sure	100	6.7		
	13 Refused	238	15.9		
	Total	338	22.5		
Total		1500	100.0		

[GENDER] With what gender do you identify?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Man	659	43.9	43.9	43.9
	2 Woman	841	56.1	56.1	100.0
Total		1500	100.0	100.0	