2019 Mississippi Social Climate of Smoking

Final Report
March 30, 2020

Survey Research Laboratory
Social Science Research Center
Mississippi State University

TABLE OF CONTENTS

2019 Mississippi Social Climate of Smoking

Purpose

In collaboration with the Survey Research Laboratory (SRL), the Tobacco Control Unit at the Social Science Research Center designed a telephone-based survey to measure public opinion throughout the state of Mississippi regarding the use and control of tobacco products. Funding for the project is provided by the Mississippi Department of Health.

Method

Telephone interviews with adult respondents (age 18 or older) residing in the state of Mississippi were conducted from early-October 2019 through late-February 2020. The survey administration secured a total of 1,529 interviews.

In order to provide a probability-based sample representative of all households in the U.S., a dual-frame RDD (Random-Digit-Dialing) sampling methodology was employed, whereby both landline and cellular telephone numbers were used to contact eligible adults. Telephone numbers were dialed a maximum of eight (8) times before being retired.

Data Specifications

- System missing codes in the SPSS dataset and Item Response Frequency Tables indicate that a question was not asked of a given respondent because it did not apply based on his or her pattern of responses.
- For dichotomous response options with a 50/50 split, the margin of error for the total dataset ($n = 1,529$) is no larger than ± 2.5% (95% CI).
- Item response frequencies are based on weighted data.

Telephone Call Log

Final Disposition Code	Total	Number
Completed survey	1,529	Number retired
Refused to participate	2,976	Number retired
Immediate hang-up	639	Returned to queue
Scheduled callback	521	Returned to queue
No answer	8,450	Returned to queue
Busy signal	753	Returned to queue
Answering machine / Voicemail	26,770	Returned to queue
Unsafe location for call (cellphone user)	8	Returned to queue
Communication or language problem	179	Number retired
Unable to participate due to health problem	40	Number retired
Respondent out of town for duration of study	13	Number retired
Respondent out of target area	197	Number retired
Respondent out of age range	159	Number retired
Other problem	5	Number retired
Business phone	346	Number retired
Disconnected number or fax machine	5,294	Number retired
Disconnected number (Filtered out by Sample Provider)	54,121	Number retired
Total Telephone Numbers Purchased:	**102,000**	

$$\text{Cooperation Rate: } 33.94\% = \frac{Completes}{Completes + Refusals}$$

Weighting Methodology Report

<u>Design Overview</u>

A statewide survey of adults 18 and over within the state of Mississippi was desired. In order to maximize coverage of adults in the state a dual frame design was used that included both cellular and landline telephone numbers within the state of Mississippi. To ensure that a reproducible and representative sample was obtained, probability-based sampling via random digit dial (RDD) was used within each of the two frames. In total, 15,000 landline and 87,000 cellular telephone numbers were sampled from their respective universes of 2,655,750 and 5,107,000 total possible numbers. The survey secured a total of 1,529 interviews with adults (1,405 of which were obtained from the cell phone frame while the remaining 124 were obtained from the landline frame).

<u>Weighting</u>

Virtually, all survey data are weighted before they can be used to produce reliable estimates of population parameters. While reflecting the selection probabilities of sampled units, weighting also attempts to compensate for practical limitations of a sample survey, such as differential nonresponse and undercoverage. The weighting process for this survey entailed two major steps. The first step consisted of computation of the *design weights* to reflect selection probabilities of households. In the second step, design weights were calibrated so that the resulting final weights would aggregate to reported totals for the target population with respect to specific geodemographic characteristics.

The computation of the design weights consisted of two steps: computation of the base weight and adjustment for multiplicity/selection of an adult within the household. The base weight was computed separately for each frame for landline and cell phone only adults. For those adults who were dual users, a base weight that reflected possibilities of being included in the sample from either of the two frames was computed as described in Buskirk and Best (2012) (www.amstat.org/sections/srms/proceedings/y2012/files/304351_72969.pdf). The multiplicity adjustment for within household selection of one adult for respondents on the landline frame was capped at 3 for those households that had 3 or more adults.

For the calibration step, weights were adjusted per county using an iterative proportional fitting method called raking, whereby design weights were simultaneously adjusted along several dimensions using the *WgtAdjust* procedure of SUDAAN (www.rti.org/sudaan). This calibration procedure ensures that all weighted frequency counts along any of the raking dimensions match their corresponding population totals obtained from external sources (http://www2.sas.com/proceedings/sugi29/207-29.pdf). In order for the calibration to be successful, each sampled unit must not have missing values on the variables used as part of the raking procedure. To this end, we imputed missing values on the

specific variables (some variables were categorical variables of original survey items) using a weighted sequential hot deck procedure in SUDAAN. This process ensures that the overall weighted distributions of the imputed data match those of the original data. The missing values were imputed based on classes determined by combinations of phone status (e.g. landline only, cell only or dual user) and gender in part due to the potential for these variables to be related to the outcomes of interest. Additionally, these were chosen based on their overall level of completeness with phone status and gender showing little missing values. A final weight adjustment step was undertaken to trim the weights to 3,200 – which represented approximately a 2.5% trim on the upper weights. These trimmed weights were recalibrated so that no final weight exceeded six times the interquartile range of the final weights.

The requisite population totals for this study were obtained from the 2019 Current Population Survey March Supplement estimates as summarized in the tables below. The only exception being telephone status which was obtained from the July 2018 National Health Interview Survey on Wireless Substitution.

Table 1. First raking dimension for weight adjustments by gender and age

Age	Males				Females			
	Respondents		Population		Respondents		Population	
18-24	101	13.7%	125,957	12.4%	86	10.8%	133,733	11.4%
25-34	104	14.1%	173,180	17.1%	107	13.5%	203,711	17.3%
35-44	130	17.6%	167,419	16.5%	118	14.9%	187,063	15.9%
45-54	124	16.9%	152,068	15.0%	140	17.7%	175,665	14.9%
55-64	136	18.5%	194,640	19.2%	163	20.6%	223,693	19.0%
65+	141	19.2%	200,509	19.8%	179	22.6%	253,677	21.5%
Total	**736**	**100.0%**	**1,013,773**	**100.0%**	**793**	**100.0%**	**1,177,542**	**100.0%**

Table 2. Second raking dimension for weight adjustments by gender and education

Education	Males				Females			
	Respondents		Population		Respondents		Population	
Some High School or less	53	7.2%	155,413	15.3%	59	7.4%	120,459	10.2%
High School Graduate	199	27.0%	339,518	33.5%	189	23.8%	360,217	30.6%
Some College / Associates	261	35.5%	326,561	32.2%	302	38.1%	408,604	34.7%
College Graduate	132	17.9%	128,820	12.7%	152	19.2%	179,130	15.2%
Graduate degree and beyond	91	12.4%	63,461	6.3%	91	11.5%	109,132	9.3%
Total	**736**	**100.0%**	**1,013,773**	**100.0%**	**793**	**100.0%**	**1,177,542**	**100.0%**

Table 3. Third raking dimension for weight adjustments by race/ethnicity

Race	Respondents		Population	
White, non-Hispanic	883	57.8%	1,306,373	59.6%
Black, non-Hispanic	563	36.8%	796,211	36.3%
All Other (incl. Hispanic)	83	5.4%	88,731	4.0%
Total	**1,529**	**100.0%**	**2,191,315**	**100.0%**

Table 4. Fourth raking dimension for weight adjustments by income

Household Income	Respondents		Population	
Under $15,000	227	14.8%	295,773	13.5%
$15,000 to $24,999	199	13.0%	232,654	10.6%
$25,000 to $34,999	151	9.9%	246,540	11.3%
$35,000 to $49,999	208	13.6%	300,119	13.7%
$50,000 to $74,999	233	15.2%	404,158	18.4%
$75,000 to $99,000	209	13.7%	219,492	10.0%
$100,000 or more	302	19.8%	492,579	22.5%
Total	**1,529**	**100.0%**	**2,191,315**	**100.0%**

Table 5. Fifth raking dimension for weight adjustments by telephone status

Telephone Status	Respondents		Population	
Cell-only	475	31.0%	1,507,625	68.8%
Others	1,054	69.0%	683,690	31.2%
Total	**1,529**	**100.0%**	**2,191,315**	**100.0%**

Variance Estimation for Weighted Data

Survey estimates can only be interpreted properly in light of their associated sampling errors. Since weighting often increases variances of estimates, use of standard variance calculation formulae with weighted data can result in misleading statistical inferences. With weighted data, two general approaches for variance estimation can be distinguished. One method is *Taylor Series Linearization* and the second is *Replication*. There are several statistical software packages that can be used to produce design-proper estimates of variances, including SAS, SUDAAN, SPSS, and Stata.

An Approximation Method for Variance Estimation can be used to avoid the need for special software packages. Researchers who do not have access to such tools for design-proper estimation of standard errors can approximate the resulting

variance inflation due to weighting and incorporate that in subsequent calculations of confidence intervals and tests of significance. With w_i representing the final weight of the $i\underline{th}$ respondent, the inflation due to weighting, which is commonly referred to as *Unequal Weighting Effect (UWE)*, can be approximated by:

$$\delta = 1 + \frac{\sum_{i=1}^{n} \frac{(w_i - \bar{w})^2}{n-1}}{\bar{w}^2}$$

For calculation of a confidence interval for an estimated percentage, p, one can obtain the conventional variance of the given percentage and multiply it by the approximated design effect, δ, and use the resulting quantity as adjusted variance. As such, the adjusted standard deviation for the percentage in question would be given by:

$$S(\hat{p}) \approx \sqrt{\frac{\hat{p}(1-\hat{p})}{n-1}\left(\frac{N-n}{N}\right) \times \delta}$$

Subsequently, the (100-α)% confidence interval for P would be given by:

$$\hat{p} - z_{\alpha/2}\sqrt{\frac{\hat{p}(1-\hat{p})}{n-1}\left(\frac{N-n}{N}\right) \times \delta} \leq P \leq \hat{p} + z_{\alpha/2}\sqrt{\frac{\hat{p}(1-\hat{p})}{n-1}\left(\frac{N-n}{N}\right) \times \delta}$$

<u>Summary Information for the Weighted Data:</u>
An overall histogram illustrating the design weights computed from the first step as well as the final, calibrated weights from the second are shown in Figures 1 and 2, respectively. Based on the UWE equation in the previous example, the value computed for this study based on the final weights is: 1.217. The UWE for the first stage weight (without calibration to population totals) is 1.260. The decrease in the UWE is expected as the calibration process potentially decreases coverage/ nonresponse bias at the expense of increases in the variability of the sampling weights. The UWE of 1.217 can be used in the computation of confidence intervals for estimates derived using the final sampling weights as described in the previous section.

**Figure 1:** Distribution of the Non-Response Adjusted Base Sampling Weight

Figure 2: Distribution of Final Sampling Weight

Survey Items

Q1.1 Hello, my name is _. I am calling from the SSRC at Mississippi State University. We are doing a research study of Mississippi residents. We are interested in experiences and opinions of smokers and nonsmokers. This is a scientific study and is not affiliated with any political group. Your phone number was randomly selected. Your participation is completely voluntary. All responses will be confidential. You may discontinue the interview anytime and you may skip any items you prefer not to answer. The survey should only take about 15 minutes. May I begin?

○ Yes (start interview) (1)

COUNTY In which county do you live?

▼ Adams County (1) ... Refused (84)

SMELLSMK During the past SEVEN DAYS, in which of the following places have you smelled secondhand tobacco smoke?

	Yes (1)	No (2)	Don't Know (3)	Refused (4)
In your home (SMELLSMK_1)	○	○	○	○
In your car (SMELLSMK_2)	○	○	○	○
At work (SMELLSMK_3)	○	○	○	○
In an indoor public place, such as a restaurant or salon (SMELLSMK_4)	○	○	○	○

HOUSERULE Which statement best describes the rules about smoking in your home:

○ no one is allowed to smoke anywhere, (1)

○ smoking is permitted in some places or at some times, or (2)

○ smoking is permitted anywhere? (3)

○ Don't Know (4)

○ Refused (5)

- -

VAPERULE Vaping is a when a person uses an electronic device to create vapor which can be inhaled. The devices are known as e-cigarettes, vaping devices or JUUL.   Which statement best describes the rules about vaping or using e-cigarettes in your home: Interviewer Note: "JUUL" is pronounced like "Jewel"

○ no one is allowed to vape anywhere, (1)

○ vaping is permitted in some places or at some times, or (2)

○ vaping is permitted anywhere? (3)

○ Don't know (4)

○ Refused (5)

- -

CARRULE Please tell me which best describes how cigarette smoking is handled in your car or the car you regularly travel in:
(Check all that apply)

☐ No one is allowed to smoke in the car, (1)

☐ Only special guests are allowed to smoke in the car, (2)

☐ People are allowed to smoke in the car only if the windows are open (3)

☐ People are allowed to smoke if there are no children in the car (4)

☐ People are allowed to smoke in the car at any time (5)

☐ Does not apply (6)

☐ Don't Know (7)

☐ Refused (8)

CARVAPE Please tell me which best describes how vaping is handled in your car or the car you regularly travel in:

○ No one is allowed to vape in the car, (1)

○ Only special guests are allowed to vape in the car, (2)

○ People are allowed to vape in the car only if the windows are open, or (3)

○ People are allowed to vape in the car at any time (4)

○ Does not apply (5)

○ Don't Know (6)

○ Refused (7)

RESAPT-OUDOORSMK In your opinion, should smoking be allowed in:

	Yes (1)	No (2)	Don't Know (3)	Refused (4)
the private residential units in apartments/condos? (1)	○	○	○	○
indoor common hallways/stairways of apartment/condo buildings? (2)	○	○	○	○
outdoor common areas (benches, doorways, parking lots) of apartment buildings? (3)	○	○	○	○
private apartments' balconies/patios? (4)	○	○	○	○
outdoor areas where non-smokers may be exposed? (5)	○	○	○	○

- -

TENANTS Tenants in apartment buildings, duplexes, and attached condos should be informed in the lease agreement whether smoking is allowed in any unit or common areas inside or outside the building. Do you:

○ Strongly agree (1)

○ Agree (2)

○ Disagree (3)

○ Strongly disagree (4)

○ Don't Know (5)

○ Refused (6)

- -

STATELAW Would you favor or oppose a law in Mississippi that would prohibit smoking in most public places, including workplaces, public buildings, offices, restaurants, bars, and casinos?

○ Favor (1)

○ Oppose (2)

○ Neither Favor nor Oppose (3)

○ Don't Know (4)

○ Refused (5)

TAX1 Would you support an increase in the tax on a pack of cigarettes?

○ Yes (1)

○ No (2)

○ Depends on how the money was used (3)

○ Don't Know (4)

○ Refused (5)

AGEPURCH The age to buy tobacco products, including e-cigarettes, should be raised to 21. Do you:

○ Strongly Agree (1)

○ Agree (2)

○ Disagree (3)

○ Strongly disagree (4)

○ Don't Know (5)

○ Refused (6)

AE1001 The next questions are about electronic cigarettes, also known as vaping devices.

Have you ever heard of an electronic cigarette before this survey?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

ECIGATT6a Manufacturing and safety standards should be provided for e-cigarettes. Do you:

○ Strongly Agree (1)

○ Agree (2)

○ Disagree (3)

○ Strongly disagree (4)

○ Don't Know (5)

○ Refused (6)

ECIGATT9 E-Cigarette vapor is harmful to babies and children. Do you:

○ Strongly Agree (1)

○ Agree (2)

○ Disagree (3)

○ Strongly disagree (4)

○ Don't Know (5)

○ Refused (6)

PEOPLE Including yourself, how many people live in your household?

Enter 17 if More than 16
Enter 18 for Don't know
Enter 19 for Refused

_____

UNDER18 How many children under 18 years of age currently live in your household?

Enter 17 if More than 16
Enter 18 for Don't know
Enter 19 for Refused

_____

PARENT Are you the parent or legal guardian of any of the 0-17 year olds in your household?

◯ Yes (1)

◯ No (2)

◯ Don't Know (3)

◯ Refused (4)

HOUSEHOLD Including yourself, how many members of your household use tobacco?
 Enter 0 for none

Enter 17 if More than 16
 Enter 18 for Don't know
 Enter 19 for Refused

_____

HOUSEVAPE Including yourself, how many members of your household use e-cigarettes or vaping products?
 Enter 0 for none
Enter 17 if More than 16
 Enter 18 for Don't know
 Enter 19 for Refused

_____

SMK100 Have you smoked at least 100 cigarettes in your entire life?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

SMKNOW Do you now smoke cigarettes every day, some days or not at all?

○ Every day (1)

○ Some days (2)

○ Not at all (3)

○ Don't Know (4)

○ Refused (5)

Display This Question:

If Do you now smoke cigarettes every day, some days or not at all? = Every day

Or Do you now smoke cigarettes every day, some days or not at all? = Some days

SMKREG_YEARSandMONTH About how long have you been smoking regularly? Do not count the time you stayed off cigarettes.
 Enter a value in both fields.
 Enter 0 for none
 Enter 888 for Don't Know
 Enter 999 for Refused

○ Number of Years (1) _____

○ Number of Months (2) _____

HOWLONG About how long has it been since you last smoked cigarettes regularly?

○ Less than 1 month ago (1)

○ 1 month but less than 3 months ago (2)

○ 3 months but less than 6 months (3)

○ 6 months but less than 1 year ago (4)

○ 1 year but less than 5 years ago (5)

○ 5 years but less than 10 years ago (6)

○ 10 or more years ago (7)

○ Don't Know (8)

○ Refused (9)

REGTOB Have you ever regularly used a tobacco product?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

CHEWDIP Have you chewed tobacco or used smokeless tobacco in the past 30 days?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

LITTLECIG1 Have you smoked little filtered cigars or a cigarillo, such as Black & Milds, in the past 30 days?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

BIGCIG1 Have you smoked Large or Premium cigars in the past 30 days?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

EHARM Compared with cigarettes, how harmful are e-cigarettes to a person's health?

○ Much less harmful than cigarettes (1)

○ Somewhat less harmful than cigarettes (2)

○ About the same as cigarettes (3)

○ Somewhat more harmful than cigarettes (4)

○ Much more harmful than cigarettes (5)

○ Don't know (6)

○ Refused (7)

EEVER Have you ever tried an e-cigarette or vaping device?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

EFREQUENCY How often do you now use an e-cigarette or vaping device?

○ Daily or almost daily (1)

○ Less than daily, but at lease once a week (2)

○ Less than weekly, but at least once a month (3)

○ Less than monthly (4)

○ Not at all (5)

○ Don't Know (6)

○ Refused (7)

EDAILY Have you ever used an e-cigarette or vaping device daily for a month or more?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

EDEVICE What e-cigarette or vaping device do/did you use the most?

○ A disposable e-cigarette or vaping device (Read, if necessary: non-rechargeable) (1)

○ An e-cigarette or vaping device that uses replaceable prefilled cartridges (Read, if necessary: rechargeable) (2)

○ A vaping device that uses pods, such as the Juul. (3)

○ An e-cigarette or vaping device with a tank that you refill with liquids (Read, if necessary: rechargeable) (4)

○ A modular system that you refill with liquids (Read, if necessary: you use your own combination of separate devices: batteries, atomizers, etc) (5)

○ Don't know (6)

○ Refused (7)

- -

EFLAVOR What flavor (do/did) you use most when vaping/using an e-cigarette or vaping device?

○ Tobacco (1)

○ Tobacco menthol, menthol, or mint (2)

○ Some other flavor like fruit, candy, alcohol, coffee, vanilla, or so on (3)

○ Unflavored (4)

○ Did not use any one flavor most often (5)

○ Don't know (6)

○ Refused (7)

- -

EREASON What is or was your primary reason for using an e-cigarette or vaping device?

○ To quit smoking (1)

○ To cut down smoking (2)

○ To use when I cannot or am not allowed to smoke (3)

○ To avoid returning to smoking (4)

○ Because I enjoy(ed) it (5)

○ Curiosity/just wanted to try them (6)

○ Some other reason (7)

○ Don't know (8)

○ Refused (9)

DUAL Was there ever a time in which you only used e-cigarettes, and did not smoke cigarettes?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

SKIRT Have you used an e-cigarette in a place where smoking is not allowed in the past 7 days?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

SKIRT_PLACES In which of the following places have you attempted to "stealth vape"?

- ○ At home (1)
- ○ At school (2)
- ○ In a restaurant (3)
- ○ At a sporting event (4)
- ○ At the movies (5)
- ○ In some other public place (6)
- ○ Refused (7)

WHYEQUIT1 The next questions are about the reasons people stop using e-cigarettes. Please select which reasons apply to you:

	Yes (1)	No (2)	Don't Know (3)	Refused (4)
I was just curious to try them and had no desire to continue using them. (WHYEQUIT1_1)	○	○	○	○
Not satisfying (WHYEQUIT1_2)	○	○	○	○
Too much hassle. (WHYEQUIT1_3)	○	○	○	○
Look silly. (WHYEQUIT1_4)	○	○	○	○
Cost too much. (WHYEQUIT1_5)	○	○	○	○
Health risks. (WHYEQUIT1_6)	○	○	○	○
Friends disapprove. (WHYEQUIT1_7)	○	○	○	○

QUITSMK During the past 12 months, have you quit using tobacco for 1 day or longer because you were trying to quit?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

PRIMARY Do you have your own primary care provider?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

PRIMVISIT During the past 12 months, how many times have you visited your primary care provider?
 Enter 0 for none
 Enter 97 for 96 or more
 Enter 98 for Don't Know
 Enter 99 for Refused

_____

PRIMQUIT During how many of these visits were you advised to quit smoking?
Enter 0 for none
Enter 97 for 96 or more
Enter 98 for Don't Know
Enter 99 for Refused

_____

PRIMHS In the past 12 months, has your doctor asked you if any of your household members smoke?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

CARE1 In the past 12 months, has a health care provider discussed the potential benefits of e-cigarettes use with you?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

- -

CARE2 In the past 12 months, has a health care provider discussed the potential harms of e-cigarettes use with you?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

CHLDPED In the past 12 months, did you accompany any of your children to a pediatrician or a family practitioner?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

PEDPRAC Did this child visit a pediatrician or a family practitioner?

○ Pediatrician (1)

○ Family Practitioner (2)

○ Some other type of healthcare provider (3)

○ Don't Know (4)

○ Refused (5)

ASKANY In the past 12 months, did your child's doctor ask if anyone in the household smokes?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

ASKTRIPLE1 In the past 12 months, did your child's doctor ask if you have a smokefree home?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

ASKTRIPLE2 In the past 12 months, did your child's doctor ask if you have a smokefree car?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

DISCUSS In the past 12 months, did your child's doctor discuss the dangers of secondhand smoke?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

CHADY Did your child's doctor advise you to quit smoking?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

YEAR In what year were you born?
Enter -99 for Refused

_____

HISPLAT Do you consider yourself Hispanic or Latino?

○ Yes (1)

○ No (2)

○ Don't Know/Not Sure (3)

○ Refused (4)

RACE What is your race?

○ White (1)

○ Black or African American (2)

○ American Indian/Alaska Native (3)

○ Asian or Pacific Islander (4)

○ Multi-racial (5)

○ Other (6) _____

○ Don't Know/ Not Sure (7)

○ Refused (8)

EDUCATION What was the last grade or year of school that you attended?

○ Never attended school or only attended Kindergarten (1)

○ Grades 1 - 8 (Elementary) (2)

○ Grades 9 - 11 (Some High School) (3)

○ Completed High School or GED equivalent (4)

○ Some college or vocational program (5)

○ Completed Associate degree (2-year program) (6)

○ Completed Bachelors degree (4-year program) (7)

○ Completed Masters degree (8)

○ Beyond Masters degree (9)

○ Don't Know/Not Sure (10)

○ Refused (11)

DESCHOME Which of the following best describes the building in which you live? Would you say:

○ a mobile home, (1)

○ a one-family house detached from any other house, (2)

○ a one-family house attached to one or more houses, or (3)

○ an apartment or condominium building? (4)

○ Other, specify (5) _____

○ Don't Know (6)

○ Refused (7)

RESRURURB Which of the following best describes your place of residence?

○ a farm or ranch, (1)

○ rural but not on a farm, (2)

○ a town under 2,500 population, (3)

○ a town with 2,500 to 10,000, (4)

○ a city of 10,000 to 50,000, (5)

○ a city of 50,000 to 100,000, or (6)

○ a city larger than 100,000 (7)

○ Don't Know (8)

○ Refused (9)

- -

POLITIC In politics today, do you consider yourself a Republican, Democrat, or an independent?

○ Republican (1)

○ Democrat (2)

○ Independent (3)

○ Don't Know (4)

○ Refused (5)

LEAN As of today, do you lean more to the Democratic Party or the Republican Party?

○ Democratic Party (1)

○ Republican Party (2)

○ Don't Know (3)

○ Refused (4)

TEA Do you align yourself with tea party values?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

REGVOTE Are you registered to vote?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

OFTVOTE How often do you vote? Would you say, always, nearly always, part of the time, seldom, or never?

○ Always (1)

○ Nearly always (2)

○ Part of the time (3)

○ Seldom (4)

○ Never (5)

○ Don't know (6)

○ Refused (7)

SUBSIDIZE Do you receive any government assistance to pay for your rent or housing?

○ Yes (1)

○ No (2)

○ Don't Know (3)

○ Refused (4)

HHINCOME I am going to read you a list of categories. Please stop me when I reach the category that best describes your 2017 household income from all sources before taxes.

○ Less than $10,000 (1)

○ $10,000 to under $15,000 (2)

○ $15,000 to under $20,000 (3)

○ $20,000 to under $25,000 (4)

○ $25,000 to under $35,000 (5)

○ $35,000 to under $50,000 (6)

○ $50,000 to under $75,000 (7)

○ $75,000 to under $100,000 (8)

○ $100,000 to under $150,000 (9)

○ $150,000 to under $200,000 (10)

○ $200,000 or more (11)

○ Don't Know/Not Sure (12)

○ Refused (13)

GENDER With what gender do you identify?

○ Man (1)

○ Woman (2)

○ Other (3) _____

○ Refused (4)

Item Response Frequencies for Weighted Data

[SMELLSMK_1] ...smelled secondhand tobacco smoke? - In your home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	246	16.1	16.1	16.1
	2 No	1282	83.8	83.9	100.0
	Total	1528	99.9	100.0	
Missing	3 Don't Know	1	.1		
Total		1529	100.0		

[SMELLSMK_2] ...smelled secondhand tobacco smoke? - In your car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	264	17.2	17.2	17.2
	2 No	1265	82.8	82.8	100.0
	Total	1529	100.0	100.0	

[SMELLSMK_3] ...smelled secondhand tobacco smoke? - At work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	319	20.9	20.9	20.9
	2 No	1207	78.9	79.1	100.0
	Total	1526	99.8	100.0	
Missing	3 Don't Know	3	.2		
	4 Refused	0	.0		
	Total	4	.2		
Total		1529	100.0		

[SMELLSMK_4] ...smelled secondhand tobacco smoke? - In an indoor public place, such as a restaurant or salon

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	237	15.5	15.6	15.6
	2 No	1283	83.9	84.4	100.0
	Total	1520	99.4	100.0	
Missing	3 Don't Know	9	.6		
Total		1529	100.0		

[HOUSERULE] Which statement best describes the rules about smoking in your home:

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 no one is allowed to smoke anywhere,	1205	78.8	79.0	79.0
	2 smoking is permitted in some places or at some times, or	164	10.7	10.7	89.7
	3 smoking is permitted anywhere?	157	10.3	10.3	100.0
	Total	1525	99.7	100.0	
Missing	4 Don't Know	3	.2		
	5 Refused	1	.1		
	Total	4	.3		
Total		1529	100.0		

[VAPERULE] Which statement best describes the rules about vaping or using e-cigarettes in your home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 no one is allowed to vape anywhere,	1272	83.2	84.4	84.4
	2 vaping is permitted in some places or at some times, or	93	6.1	6.1	90.6
	3 vaping is permitted anywhere?	142	9.3	9.4	100.0
	Total	1507	98.5	100.0	
Missing	4 Don't know	22	1.4		
	5 Refused	0	.0		
	Total	22	1.5		
Total		1529	100.0		

[CARRULE_1] ...how cigarette smoking is handled in your car or the car you regularly travel in: No one is allowed to smoke in the car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	317	20.8	21.1	21.1
	1 Yes	1190	77.8	78.9	100.0
	Total	1508	98.6	100.0	
Missing	-88 Don't Know	3	.2		
	-77 Does not apply	18	1.2		
	Total	22	1.4		
Total		1529	100.0		

[CARRULE_2] ...how cigarette smoking is handled in your car or the car you regularly travel in: Only special guests are allowed to smoke in the car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	1478	96.6	98.0	98.0
	1 Yes	30	1.9	2.0	100.0
	Total	1508	98.6	100.0	
Missing	-88 Don't Know	3	.2		
	-77 Does not apply	18	1.2		
	Total	22	1.4		
Total		1529	100.0		

[CARRULE_3] ...how cigarette smoking is handled in your car or the car you regularly travel in: People are allowed to smoke in the car only if the windows are open

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	1346	88.0	89.3	89.3
	1 Yes	162	10.6	10.7	100.0
	Total	1508	98.6	100.0	
Missing	-88 Don't Know	3	.2		
	-77 Does not apply	18	1.2		
	Total	22	1.4		
Total		1529	100.0		

[CARRULE_4] ...how cigarette smoking is handled in your car or the car you regularly travel in: People are allowed to smoke if there are no children in the car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	1379	90.2	91.5	91.5
	1 Yes	129	8.4	8.5	100.0
	Total	1508	98.6	100.0	
Missing	-88 Don't Know	3	.2		
	-77 Does not apply	18	1.2		
	Total	22	1.4		
Total		1529	100.0		

[CARRULE_5] ...how cigarette smoking is handled in your car or the car you regularly travel in: People are allowed to smoke in the car at any time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	1403	91.8	93.1	93.1
	1 Yes	104	6.8	6.9	100.0
	Total	1508	98.6	100.0	
Missing	-88 Don't Know	3	.2		
	-77 Does not apply	18	1.2		
	Total	22	1.4		
Total		1529	100.0		

[CARVAPE] ...how vaping is handled in your car or the car you regularly travel in

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No one is allowed to vape in the car,	1211	79.2	83.3	83.3
	2 Only special guests are allowed to vape in the car,	29	1.9	2.0	85.3
	3 People are allowed to vape in the car only if the windows are open, or	111	7.2	7.6	92.9
	4 People are allowed to vape in the car at any time	103	6.8	7.1	100.0
	Total	1454	95.1	100.0	
Missing	5 Does not apply	61	4.0		
	6 Don't Know	13	.9		
	7 Refused	1	.1		
	Total	76	4.9		
Total		1529	100.0		

[RESAPT_OUTDOORSMK_1] ...should smoking be allowed in the private residential units in apartments/condos?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	660	43.1	47.0	47.0
	2 No	745	48.7	53.0	100.0
	Total	1405	91.9	100.0	
Missing	3 Don't Know	122	8.0		
	4 Refused	2	.2		
	Total	124	8.1		
Total		1529	100.0		

[RESAPT_OUTDOORSMK_2] ...should smoking be allowed in indoor common hallways/stairways of apartment/condo buildings?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	177	11.6	11.9	11.9
	2 No	1307	85.4	88.1	100.0
	Total	1484	97.0	100.0	
Missing	3 Don't Know	45	2.9		
	4 Refused	1	.1		
	Total	46	3.0		
Total		1529	100.0		

[RESAPT_OUTDOORSMK_3] ...should smoking be allowed in outdoor common areas (benches, doorways, parking lots) of apartment buildings?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1024	67.0	69.2	69.2
	2 No	456	29.8	30.8	100.0
	Total	1480	96.8	100.0	
Missing	3 Don't Know	49	3.2		
Total		1529	100.0		

[RESAPT_OUTDOORSMK_4] ...should smoking be allowed in private apartments' balconies/patios?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1031	67.4	69.3	69.3
	2 No	456	29.8	30.7	100.0
	Total	1487	97.3	100.0	
Missing	3 Don't Know	42	2.7		
Total		1529	100.0		

[RESAPT_OUTDOORSMK_5] ...should smoking be allowed in outdoor areas where non-smokers may be exposed?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	607	39.7	41.8	41.8
	2 No	844	55.2	58.2	100.0
	Total	1451	94.9	100.0	
Missing	3 Don't Know	78	5.1		
Total		1529	100.0		

[TENANTS] Tenants in apartment buildings, duplexes, and attached condos should be informed in the lease agreement whether smoking is allowed in any unit or common areas inside or outside the building.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Strongly agree	697	45.6	46.2	46.2
	2 Agree	700	45.8	46.4	92.7
	3 Disagree	81	5.3	5.4	98.0
	4 Strongly disagree	29	1.9	2.0	100.0
	Total	1507	98.5	100.0	
Missing	5 Don't Know	22	1.4		
	6 Refused	1	.0		
	Total	23	1.5		
Total		1529	100.0		

[STATELAW] Would you favor or oppose a law in Mississippi that would prohibit smoking in most public places, including workplaces, public buildings, offices, restaurants, bars, and casinos?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Favor	1063	69.5	70.6	70.6
	2 Oppose	374	24.5	24.8	95.4
	3 Neither Favor nor Oppose	69	4.5	4.6	100.0
	Total	1506	98.5	100.0	
Missing	4 Don't Know	21	1.4		
	5 Refused	2	.1		
	Total	23	1.5		
Total		1529	100.0		

[TAX1] Would you support an increase in the tax on a pack of cigarettes?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	881	57.6	59.6	59.6
	2 No	520	34.0	35.2	94.7
	3 Depends on how the money was used	78	5.1	5.3	100.0
	Total	1478	96.7	100.0	
Missing	4 Don't Know	50	3.2		
	5 Refused	2	.1		
	Total	51	3.3		
Total		1529	100.0		

[AGEPURCH] The age to buy tobacco products, including e-cigarettes, should be raised to 21. Do you:

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Strongly Agree	578	37.8	38.5	38.5
	2 Agree	612	40.0	40.8	79.3
	3 Disagree	224	14.7	15.0	94.3
	4 Strongly disagree	85	5.6	5.7	100.0
	Total	1500	98.1	100.0	
Missing	5 Don't Know	29	1.9		
	6 Refused	0	.0		
	Total	30	1.9		
Total		1529	100.0		

[AE1001] Have you ever heard of an electronic cigarette before this survey?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1376	90.0	90.0	90.0
	2 No	152	9.9	10.0	100.0
	Total	1528	99.9	100.0	
Missing	3 Don't Know	1	.1		
Total		1529	100.0		

[EGICATT6a] Manufacturing and safety standards should be provided for e-cigarettes.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Strongly Agree	737	48.2	50.6	50.6
	2 Agree	625	40.9	42.9	93.5
	3 Disagree	78	5.1	5.4	98.8
	4 Strongly disagree	17	1.1	1.2	100.0
	Total	1457	95.3	100.0	
Missing	5 Don't Know	69	4.5		
	6 Refused	3	.2		
	Total	72	4.7		
Total		1529	100.0		

[ECIGATT9] E-Cigarette vapor is harmful to babies and children.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Strongly Agree	667	43.6	50.3	50.3
	2 Agree	581	38.0	43.8	94.1
	3 Disagree	56	3.7	4.2	98.3
	4 Strongly disagree	22	1.4	1.7	100.0
	Total	1326	86.7	100.0	
Missing	5 Don't Know	202	13.2		
	6 Refused	1	.1		
	Total	203	13.3		
Total		1529	100.0		

[PEOPLE] Including yourself, how many people live in your household?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	215	14.1	14.1	14.1
	2	513	33.5	33.5	47.6
	3	317	20.8	20.8	68.3
	4	276	18.1	18.1	86.4
	5	110	7.2	7.2	93.6
	6	50	3.3	3.3	96.9
	7	22	1.4	1.4	98.3
	8	14	.9	.9	99.2
	9	4	.2	.2	99.4
	10	1	.1	.1	99.5
	12	2	.1	.1	99.6
	15	1	.1	.1	99.7
	19	4	.3	.3	100.0
	Total	1529	100.0	100.0	

[UNDER18] How many children under 18 years of age currently live in your household?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	958	62.6	62.9	62.9
	1	244	16.0	16.0	78.9
	2	196	12.8	12.8	91.8
	3	73	4.8	4.8	96.5
	4	37	2.4	2.4	99.0
	5	13	.8	.8	99.8
	6	2	.1	.1	99.9
	8	1	.0	.0	99.9
	9	1	.1	.1	100.0
	Total	1523	99.6	100.0	
Missing	19 Refused	7	.4		
Total		1529	100.0		

[PARENT] Are you the parent or legal guardian of any of the 0-17 year olds in your household?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	462	30.2	81.5	81.5
	2 No	105	6.8	18.5	100.0
	Total	567	37.1	100.0	
Missing	System	962	62.9		
Total		1529	100.0		

[HOUSEHOLD] Including yourself, how many members of your household use tobacco?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	922	60.3	70.4	70.4
	1	235	15.4	18.0	88.3
	2	119	7.8	9.1	97.4
	3	23	1.5	1.7	99.2
	4	6	.4	.5	99.6
	5	3	.2	.2	99.9
	18	2	.1	.1	100.0
	Total	1310	85.7	100.0	
Missing	System	219	14.3		
Total		1529	100.0		

[HOUSEVAPE] Including yourself, how many members of your household use e-cigarettes or vaping products?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	1189	77.7	90.8	90.8
	1	90	5.9	6.9	97.7
	2	26	1.7	2.0	99.7
	3	3	.2	.3	99.9
	4	1	.0	.0	100.0
	5	0	.0	.0	100.0
	Total	1309	85.6	100.0	
Missing	18 Don't Know	1	.1		
	System	219	14.3		
	Total	220	14.4		
Total		1529	100.0		

[SMK100] Have you smoked at least 100 cigarettes in your entire life?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	631	41.3	41.6	41.6
	2 No	887	58.0	58.4	100.0
	Total	1519	99.3	100.0	
Missing	3 Don't Know	10	.7		
Total		1529	100.0		

[SMKNOW] Do you now smoke cigarettes every day, some days or not at all?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	219	14.3	14.4	14.4
	2 Some days	73	4.8	4.8	19.1
	3 Not at all	1235	80.8	80.9	100.0
	Total	1527	99.9	100.0	
Missing	4 Don't Know	2	.1		
Total		1529	100.0		

[SMKREG_YEARSandMONTH_1] About how long have you been smoking regularly?

Do not count the time you stayed off cigarettes. Number of Years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	6	.4	2.3	2.3
	1	11	.7	3.9	6.1
	2	10	.7	3.7	9.8
	3	3	.2	1.1	10.9
	4	4	.3	1.6	12.5
	5	10	.6	3.4	15.9
	6	6	.4	2.0	17.8
	7	3	.2	1.2	19.1
	8	8	.5	2.9	22.0
	9	6	.4	2.0	23.9
	10	25	1.6	8.7	32.7
	11	1	.1	.4	33.1
	12	1	.0	.3	33.3
	13	3	.2	1.1	34.4
	14	5	.3	1.8	36.2
	15	17	1.1	6.0	42.1
	16	7	.5	2.5	44.6
	17	3	.2	1.0	45.6
	19	1	.1	.3	45.9
	20	33	2.1	11.5	57.5
	22	5	.3	1.8	59.3
	24	3	.2	1.2	60.5
	25	5	.3	1.8	62.3
	26	3	.2	1.0	63.3
	27	1	.1	.4	63.7
	28	1	.1	.4	64.1
	29	1	.1	.3	64.4
	30	34	2.2	12.1	76.5
	32	1	.1	.3	76.8
	33	2	.1	.8	77.6
	34	2	.1	.6	78.2
	35	14	.9	4.9	83.1
	36	5	.3	1.6	84.7
	37	1	.1	.4	85.1
	38	0	.0	.2	85.3
	39	1	.0	.2	85.5
	40	6	.4	2.2	87.8

		Frequency	Percent	Valid Percent	Cumulative Percent
	42	1	.1	.3	88.1
	43	1	.1	.4	88.4
	45	4	.3	1.4	89.8
	46	2	.1	.6	90.4
	48	7	.4	2.4	92.8
	50	12	.8	4.3	97.1
	51	0	.0	.1	97.2
	52	1	.0	.2	97.4
	54	1	.1	.5	97.9
	57	2	.1	.6	98.5
	60	2	.2	.8	99.3
	65	2	.1	.7	100.0
	Total	284	18.6	100.0	
Missing	888 Don't Know	5	.3		
	999 Refused	3	.2		
	System	1237	80.9		
	Total	1245	81.4		
Total		1529	100.0		

[SMKREG_YEARSandMONTH_2] About how long have you been smoking regularly?

Do not count the time you stayed off cigarettes. Number of Months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	266	17.4	94.0	94.0
	1	1	.1	.4	94.4
	2	2	.1	.6	94.9
	3	1	.1	.4	95.3
	4	1	.0	.2	95.6
	5	2	.2	.8	96.4
	6	6	.4	2.3	98.7
	8	4	.2	1.3	100.0
	Total	283	18.5	100.0	
Missing	888 Don't Know	6	.4		
	999 Refused	3	.2		
	System	1237	80.9		
	Total	1246	81.5		
Total		1529	100.0		

[HOWLONG] About how long has it been since you last smoked cigarettes regularly?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less than 1 month ago	4	.3	1.1	1.1
	2 1 month but less than 3 months ago	4	.3	1.1	2.3
	3 3 months but less than 6 months	6	.4	1.7	4.0
	4 6 months but less than 1 year ago	14	.9	4.1	8.1
	5 1 year but less than 5 years ago	59	3.9	16.9	25.0
	6 5 years but less than 10 years ago	58	3.8	16.4	41.4
	7 10 or more years ago	206	13.5	58.6	100.0
	Total	351	23.0	100.0	
Missing	8 Don't Know	2	.1		
	System	1176	76.9		
	Total	1178	77.0		
Total		1529	100.0		

[REGTOB] Have you ever regularly used a tobacco product?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	516	33.7	33.8	33.8
	2 No	1011	66.1	66.2	100.0
	Total	1526	99.8	100.0	
Missing	3 Don't Know	3	.2		
Total		1529	100.0		

[CHEWDIP] Have you chewed tobacco or used smokeless tobacco in the past 30 days?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	90	5.9	17.5	17.5
	2 No	424	27.8	82.5	100.0
	Total	515	33.7	100.0	
Missing	4 Refused	1	.1		
	System	1013	66.3		
	Total	1014	66.3		
Total		1529	100.0		

[LITTLECIG1] Have you smoked little filtered cigars or a cigarillo, such as Black & Milds, in the past 30 days?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	56	3.7	10.9	10.9
	2 No	459	30.0	89.1	100.0
	Total	515	33.7	100.0	
Missing	3 Don't Know	1	.1		
	System	1013	66.3		
	Total	1015	66.3		
Total		1529	100.0		

[BIGCIG1] Have you smoked Large or Premium cigars in the past 30 days?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	22	1.5	4.4	4.4
	2 No	493	32.3	95.6	100.0
	Total	516	33.7	100.0	
Missing	System	1013	66.3		
Total		1529	100.0		

[EHARM] Compared with cigarettes, how harmful are e-cigarettes to a person's health?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Much less harmful than cigarettes	52	3.4	4.7	4.7
	2 Somewhat less harmful than cigarettes	113	7.4	10.4	15.1
	3 About the same as cigarettes	422	27.6	38.8	53.9
	4 Somewhat more harmful than cigarettes	146	9.5	13.4	67.3
	5 Much more harmful than cigarettes	355	23.2	32.7	100.0
	Total	1087	71.1	100.0	
Missing	6 Don't know	287	18.8		
	7 Refused	1	.1		
	System	153	10.0		
	Total	442	28.9		
Total		1529	100.0		

[EEVER] Have you ever tried an e-cigarette or vaping device?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	359	23.5	26.1	26.1
	2 No	1017	66.5	73.9	100.0
	Total	1376	90.0	100.0	
Missing	System	153	10.0		
Total		1529	100.0		

[EFREQUENCY] How often do you now use an e-cigarette or vaping device?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Daily or almost daily	27	1.8	7.5	7.5
	2 Less than daily, but at lease once a week	5	.3	1.3	8.8
	3 Less than weekly, but at least once a month	11	.7	3.2	12.0
	4 Less than monthly	32	2.1	9.0	21.0
	5 Not at all	283	18.5	79.0	100.0
	Total	358	23.4	100.0	
Missing	6 Don't Know	2	.1		
	System	1170	76.5		
	Total	1171	76.6		
Total		1529	100.0		

[EDAILY] Have you ever used an e-cigarette or vaping device daily for a month or more?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	12	.8	25.5	25.5
	2 No	36	2.4	74.5	100.0
	Total	48	3.2	100.0	
Missing	System	1481	96.8		
Total		1529	100.0		

[EDEVICE] What e-cigarette or vaping device do/did you use the most?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A disposable e-cigarette or vaping device (Read, if necessary: non-rechargeable)	42	2.8	15.2	15.2
	2 An e-cigarette or vaping device that uses replaceable prefilled cartridges (Read, if necessary: rechargeable)	56	3.7	20.3	35.5
	3 A vaping device that uses pods, such as the Juul.	74	4.8	26.5	62.0
	4 An e-cigarette or vaping device with a tank that you refill with liquids (Read, if necessary: rechargeable)	80	5.2	28.6	90.6
	5 A modular system that you refill with liquids (Read, if necessary: you use your own combination of separate devices: batteries, atomizers, etc)	26	1.7	9.4	100.0
	Total	278	18.2	100.0	
Missing	6 Don't know	81	5.3		
	System	1170	76.5		
	Total	1251	81.8		
Total		1529	100.0		

[EFLAVOR] What flavor (do/did) you use most when vaping/using an e-cigarette or vaping device?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Tobacco	39	2.6	12.4	12.4
	2 Tobacco menthol, menthol, or mint	93	6.1	29.2	41.5
	3 Some other flavor like fruit, candy, alcohol, coffee, vanilla, or so on	170	11.1	53.4	94.9
	4 Unflavored	8	.5	2.6	97.5
	5 Did not use any one flavor most often	8	.5	2.5	100.0
	Total	318	20.8	100.0	
Missing	6 Don't know	42	2.7		
	System	1170	76.5		
	Total	1211	79.2		
Total		1529	100.0		

[EREASON] What is or was your primary reason for using an e-cigarette or vaping device?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 To quit smoking	13	.8	30.3	30.3
	2 To cut down smoking	4	.3	9.6	39.9
	3 To use when I cannot or am not allowed to smoke	5	.3	10.9	50.8
	4 To avoid returning to smoking	4	.3	9.4	60.3
	5 Because I enjoy(ed) it	5	.3	11.3	71.5
	6 I like how they taste and smell	3	.2	6.2	77.8
	7 Curiosity/just wanted to try them	2	.1	4.2	82.0
	8 Some other reason	8	.5	18.0	100.0
	Total	42	2.7	100.0	
Missing	9 Don't know	1	.1		
	System	1486	97.2		
	Total	1487	97.3		
Total		1529	100.0		

[DUAL] Was there ever a time in which you only used e-cigarettes, and did not smoke cigarettes?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	24	1.6	68.1	68.1
	2 No	11	.7	31.9	100.0
	Total	35	2.3	100.0	
Missing	3 Don't Know	2	.1		
	System	1493	97.6		
	Total	1494	97.7		
Total		1529	100.0		

[SKIRT] Have you used an e-cigarette in a place where smoking is not allowed in the past 7 days?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	16	1.1	21.4	21.4
	2 No	59	3.9	78.6	100.0
	Total	75	4.9	100.0	
Missing	System	1454	95.1		
Total		1529	100.0		

[SKIRT_PLACES] In which of the following places have you attempted to "stealth vape"?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 At home	3	.2	20.3	20.3
	2 At school	1	.1	7.7	28.0
	3 In a restaurant	2	.1	10.5	38.5
	4 At a sporting event	1	.0	4.3	42.8
	6 In some other public place	8	.6	57.2	100.0
	Total	15	1.0	100.0	
Missing	7 Refused	1	.1		
	System	1513	98.9		
	Total	1514	99.0		
Total		1529	100.0		

[WHYEQUIT1_1] ...reasons people stop using e-cigarettes - I was just curious to try them and had no desire to continue using them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	222	14.5	79.9	79.9
	2 No	56	3.7	20.1	100.0
	Total	278	18.2	100.0	
Missing	3 Don't Know	5	.3		
	System	1247	81.5		
	Total	1251	81.8		
Total		1529	100.0		

[WHYEQUIT1_2] ...reasons people stop using e-cigarettes - Not satisfying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	129	8.4	46.5	46.5
	2 No	148	9.7	53.5	100.0
	Total	277	18.1	100.0	
Missing	3 Don't Know	5	.3		
	System	1247	81.5		
	Total	1252	81.9		
Total		1529	100.0		

[WHYEQUIT1_3] ...reasons people stop using e-cigarettes - Too much hassle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	123	8.0	44.7	44.7
	2 No	152	9.9	55.3	100.0
	Total	275	18.0	100.0	
Missing	3 Don't Know	8	.5		
	System	1247	81.5		
	Total	1255	82.0		
Total		1529	100.0		

[WHYEQUIT1_4] ...reasons people stop using e-cigarettes - Look silly

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	92	6.0	33.3	33.3
	2 No	184	12.0	66.7	100.0
	Total	275	18.0	100.0	
Missing	3 Don't Know	7	.5		
	System	1247	81.5		
	Total	1254	82.0		
Total		1529	100.0		

[WHYEQUIT1_5] ...reasons people stop using e-cigarettes - Cost too much

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	115	7.5	41.9	41.9
	2 No	160	10.4	58.1	100.0
	Total	275	18.0	100.0	
Missing	3 Don't Know	8	.5		
	System	1247	81.5		
	Total	1254	82.0		
Total		1529	100.0		

[WHYEQUIT1_6] ...reasons people stop using e-cigarettes - Health risks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	155	10.1	57.0	57.0
	2 No	117	7.7	43.0	100.0
	Total	272	17.8	100.0	
Missing	3 Don't Know	10	.7		
	System	1247	81.5		
	Total	1257	82.2		
Total		1529	100.0		

[WHYEQUIT1_7] ...reasons people stop using e-cigarettes - Friends disapprove.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	46	3.0	16.8	16.8
	2 No	229	15.0	83.2	100.0
	Total	275	18.0	100.0	
Missing	3 Don't Know	7	.5		
	System	1247	81.5		
	Total	1254	82.0		
Total		1529	100.0		

[QUITSMK] During the past 12 months, have you quit using tobacco for 1 day or longer because you were trying to quit?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	159	10.4	54.4	54.4
	2 No	133	8.7	45.6	100.0
	Total	292	19.1	100.0	
Missing	System	1237	80.9		
Total		1529	100.0		

[PRIMARY] Do you have your own primary care provider?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1263	82.6	82.8	82.8
	2 No	263	17.2	17.2	100.0
	Total	1526	99.8	100.0	
Missing	3 Don't Know	3	.2		
	4 Refused	1	.1		
	Total	3	.2		
Total		1529	100.0		

[PRIMVISIT] During the past 12 months, how many times have you visited your primary care provider?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	98	6.4	8.0	8.0
	1	269	17.6	21.9	29.9
	2	361	23.6	29.4	59.3
	3	190	12.4	15.5	74.8
	4	132	8.6	10.8	85.5
	5	53	3.5	4.3	89.9
	6	35	2.3	2.9	92.7

		Frequency	Percent	Valid Percent	Cumulative Percent
	7	7	.4	.6	93.3
	8	8	.5	.7	93.9
	9	6	.4	.5	94.4
	10	20	1.3	1.6	96.0
	11	2	.1	.1	96.2
	12	32	2.1	2.6	98.8
	13	1	.1	.1	98.8
	14	1	.0	.1	98.9
	15	4	.3	.3	99.2
	18	2	.1	.1	99.4
	20	4	.3	.4	99.7
	28	2	.2	.2	99.9
	97	1	.1	.1	100.0
	100	0	.0	.0	100.0
	Total	1227	80.2	100.0	
Missing	98 Don't Know	30	2.0		
	99 Refused	5	.3		
	System	267	17.4		
	Total	302	19.8		
Total		1529	100.0		

[PRIMQUIT] During how many of these visits were you advised to quit smoking?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	45	3.0	26.4	26.4
	1	21	1.3	12.0	38.4
	2	41	2.7	24.0	62.4
	3	16	1.1	9.5	72.0
	4	14	.9	8.4	80.4
	5	8	.5	4.7	85.1
	6	1	.1	.8	86.0
	7	2	.1	1.1	87.1
	8	1	.1	.6	87.7
	9	2	.2	1.3	89.0
	10	2	.1	1.2	90.3
	12	4	.3	2.4	92.7
	15	3	.2	1.8	94.5
	90	1	.1	.6	95.1
	96	1	.1	.6	95.7
	97 96 or more	7	.5	4.3	100.0

		Frequency	Percent	Valid Percent	Cumulative Percent
	Total	171	11.2	100.0	
Missing	98 Don't Know	5	.3		
	System	1353	88.5		
	Total	1358	88.8		
Total		1529	100.0		

[PRIMHS] In the past 12 months, has your doctor asked you if any of your household members smoke?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	522	34.1	46.0	46.0
	2 No	611	40.0	54.0	100.0
	Total	1133	74.1	100.0	
Missing	3 Don't Know	31	2.1		
	4 Refused	0	.0		
	System	364	23.8		
	Total	396	25.9		
Total		1529	100.0		

[CARE1] In the past 12 months, has a health care provider discussed the potential benefits of e-cigarettes use with you?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	17	1.1	6.8	6.8
	2 No	230	15.0	93.2	100.0
	Total	247	16.1	100.0	
Missing	3 Don't Know	1	.1		
	System	1281	83.8		
	Total	1282	83.9		
Total		1529	100.0		

[CARE2] In the past 12 months, has a health care provider discussed the potential harms of e-cigarettes use with you?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	38	2.5	15.3	15.3
	2 No	209	13.7	84.7	100.0
	Total	246	16.1	100.0	
Missing	3 Don't Know	2	.1		
	System	1281	83.8		
	Total	1283	83.9		
Total		1529	100.0		

[CHILDPED] In the past 12 months, did you accompany any of your children to a pediatrician or a family practitioner?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	367	24.0	79.3	79.3
	2 No	96	6.2	20.7	100.0
	Total	462	30.2	100.0	
Missing	System	1067	69.8		
Total		1529	100.0		

[PEDPRAC] Did this child visit a pediatrician or a family practitioner?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Pediatrician	230	15.0	62.9	62.9
	2 Family Practitioner	120	7.8	32.7	95.6
	3 Some other type of healthcare provider	16	1.0	4.4	100.0
	Total	366	23.9	100.0	
Missing	4 Don't Know	1	.1		
	System	1162	76.0		
	Total	1164	76.1		
Total		1529	100.0		

[ASKANY] In the past 12 months, did your child's doctor ask if anyone in the household smokes?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	224	14.6	64.0	64.0
	2 No	126	8.2	36.0	100.0
	Total	350	22.9	100.0	
Missing	3 Don't Know	17	1.1		
	System	1162	76.0		
	Total	1179	77.1		
Total		1529	100.0		

[ASKTRIPLE1] In the past 12 months, did your child's doctor ask if you have a smokefree home?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	181	11.9	52.4	52.4
	2 No	165	10.8	47.6	100.0
	Total	346	22.6	100.0	
Missing	3 Don't Know	21	1.4		
	System	1162	76.0		
	Total	1183	77.4		
Total		1529	100.0		

[ASKTRIPLE2] In the past 12 months, did your child's doctor ask if you have a smokefree car?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	115	7.5	32.9	32.9
	2 No	234	15.3	67.1	100.0
	Total	349	22.8	100.0	
Missing	3 Don't Know	17	1.1		
	4 Refused	1	.0		
	System	1162	76.0		
	Total	1181	77.2		
Total		1529	100.0		

[DISCUSS] In the past 12 months, did your child's doctor discuss the dangers of secondhand smoke?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	165	10.8	46.1	46.1
	2 No	194	12.7	53.9	100.0
	Total	359	23.5	100.0	
Missing	3 Don't Know	8	.5		
	System	1162	76.0		
	Total	1170	76.5		
Total		1529	100.0		

[CHADY] Did your child's doctor advise you to quit smoking?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	46	3.0	59.5	59.5
	2 No	32	2.1	40.5	100.0
	Total	78	5.1	100.0	
Missing	3 Don't Know	1	.1		
	System	1450	94.8		
	Total	1451	94.9		
Total		1529	100.0		

[DESCHOME] Which of the following best describes the building in which you live?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 a mobile home,	205	13.4	13.6	13.6
	2 a one-family house detached from any other house,	1085	71.0	71.8	85.4
	3 a one-family house attached to one or more houses, or	30	2.0	2.0	87.4
	4 an apartment or condominium building?	173	11.3	11.5	98.8
	5 Other, specify	18	1.2	1.2	100.0
	Total	1512	98.9	100.0	
Missing	6 Don't Know	3	.2		
	7 Refused	14	.9		
	Total	18	1.1		
Total		1529	100.0		

OPEN ENDED RESPONSE FOR [DESCHOME]: "OTHER"

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid		1514	99.0	99.0	99.0
	Assisted living apartment	1	.1	.1	99.1
	Barracks	1	.1	.1	99.2
	Base housing	2	.1	.1	99.3
	Dormitory	2	.2	.2	99.4
	Independent Living	1	.1	.1	99.5
	Nursing Home	1	.1	.1	99.6
	Recreational Vehicle	4	.3	.3	99.8
	Retirement Center	2	.2	.2	100.0
	Total	1529	100.0	100.0	

[SUBSIDIZE] Do you receive any government assistance to pay for your rent or housing?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	52	3.4	3.5	3.5
	2 No	1462	95.6	96.5	100.0
	Total	1514	99.0	100.0	
Missing	3 Don't Know	3	.2		
	4 Refused	12	.8		
	Total	15	1.0		
Total		1529	100.0		

[POLITIC] In politics today, do you consider yourself a Republican, Democrat, or an independent?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Republican	593	38.8	44.1	44.1
	2 Democrat	426	27.9	31.7	75.9
	3 Independent	324	21.2	24.1	100.0
	Total	1343	87.9	100.0	
Missing	4 Don't Know	105	6.8		
	5 Refused	81	5.3		
	Total	186	12.1		
Total		1529	100.0		

[LEAN] As of today, do you lean more to the Democratic Party or the Republican Party?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Democratic Party	111	7.3	57.0	57.0
	2 Republican Party	84	5.5	43.0	100.0
	Total	195	12.7	100.0	
Missing	3 Don't Know	109	7.1		
	4 Refused	20	1.3		
	System	1205	78.8		
	Total	1334	87.3		
Total		1529	100.0		

[TEA] Do you align yourself with tea party values?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	241	15.8	33.7	33.7
	2 No	474	31.0	66.3	100.0
	Total	716	46.8	100.0	
Missing	3 Don't Know	195	12.8		
	4 Refused	6	.4		
	System	612	40.0		
	Total	814	53.2		
Total		1529	100.0		

[REGVOTE] Are you registered to vote?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1390	90.9	91.6	91.6
	2 No	127	8.3	8.4	100.0
	Total	1517	99.2	100.0	
Missing	3 Don't Know	2	.1		
	4 Refused	10	.7		
	Total	12	.8		
Total		1529	100.0		

[OFTVOTE] How often do you vote?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	835	54.6	60.6	60.6
	2 Nearly always	297	19.4	21.5	82.1
	3 Part of the time	151	9.8	10.9	93.0
	4 Seldom	54	3.5	3.9	96.9
	5 Never	43	2.8	3.1	100.0
	Total	1379	90.2	100.0	
Missing	6 Don't know	5	.3		
	7 Refused	5	.3		
	System	139	9.1		
	Total	150	9.8		
Total		1529	100.0		

[RESRURURB] Which of the following best describes your place of residence?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 a farm or ranch,	119	7.8	9.0	9.0
	2 rural but not on a farm,	378	24.7	28.4	37.4
	3 a town under 2,500 population,	114	7.5	8.6	46.0
	4 a town with 2,500 to 10,000,	209	13.7	15.7	61.7
	5 a city of 10,000 to 50,000,	275	18.0	20.6	82.4
	6 a city of 50,000 to 100,000, or	125	8.2	9.4	91.8
	7 a city larger than 100,000	110	7.2	8.2	100.0
	Total	1331	87.0	100.0	
Missing	8 Don't Know	186	12.2		
	9 Refused	13	.8		
	Total	198	13.0		
Total		1529	100.0		

In what year were you born?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1923.00	1	.0	.0	.0
	1926.00	1	.0	.0	.1
	1927.00	2	.1	.1	.2
	1928.00	2	.2	.2	.4
	1929.00	1	.0	.0	.4
	1930.00	3	.2	.2	.6
	1931.00	1	.1	.1	.7
	1932.00	2	.1	.1	.8
	1933.00	3	.2	.2	1.1
	1934.00	4	.3	.3	1.3
	1935.00	5	.3	.3	1.7
	1936.00	2	.1	.1	1.8
	1937.00	3	.2	.2	2.0
	1938.00	10	.6	.7	2.7
	1939.00	5	.3	.3	3.0
	1940.00	8	.5	.5	3.6
	1941.00	13	.9	.9	4.5
	1942.00	9	.6	.6	5.1
	1943.00	14	.9	.9	6.0
	1944.00	12	.8	.8	6.8
	1945.00	13	.9	.9	7.7
	1946.00	25	1.6	1.7	9.4

1947.00	16	1.0	1.1	10.5
1948.00	17	1.1	1.1	11.6
1949.00	19	1.3	1.3	12.9
1950.00	20	1.3	1.3	14.3
1951.00	22	1.5	1.5	15.8
1952.00	20	1.3	1.3	17.1
1953.00	27	1.8	1.9	19.0
1954.00	22	1.4	1.5	20.4
1955.00	24	1.6	1.6	22.1
1956.00	37	2.4	2.5	24.6
1957.00	21	1.4	1.4	26.0
1958.00	28	1.8	1.9	27.9
1959.00	27	1.8	1.8	29.8
1960.00	24	1.6	1.6	31.4
1961.00	27	1.7	1.8	33.2
1962.00	37	2.4	2.5	35.7
1963.00	23	1.5	1.6	37.3
1964.00	33	2.1	2.2	39.5
1965.00	26	1.7	1.8	41.3
1966.00	18	1.2	1.2	42.5
1967.00	19	1.2	1.3	43.8
1968.00	17	1.1	1.2	44.9
1969.00	19	1.2	1.3	46.2
1970.00	27	1.8	1.9	48.1
1971.00	24	1.5	1.6	49.7
1972.00	27	1.8	1.9	51.5
1973.00	19	1.3	1.3	52.9
1974.00	23	1.5	1.6	54.4
1975.00	23	1.5	1.5	56.0
1976.00	29	1.9	2.0	57.9
1977.00	22	1.5	1.5	59.5
1978.00	20	1.3	1.3	60.8
1979.00	17	1.1	1.1	61.9
1980.00	25	1.6	1.7	63.6
1981.00	27	1.7	1.8	65.4
1982.00	21	1.4	1.4	66.8
1983.00	33	2.2	2.3	69.1
1984.00	21	1.3	1.4	70.5
1985.00	29	1.9	1.9	72.4

	1986.00	36	2.4	2.5	74.9
	1987.00	15	1.0	1.0	75.9
	1988.00	21	1.4	1.4	77.3
	1989.00	24	1.6	1.6	78.9
	1990.00	21	1.4	1.4	80.3
	1991.00	27	1.7	1.8	82.2
	1992.00	27	1.8	1.9	84.0
	1993.00	32	2.1	2.1	86.2
	1994.00	24	1.6	1.6	87.8
	1995.00	19	1.3	1.3	89.1
	1996.00	13	.8	.9	90.0
	1997.00	17	1.1	1.1	91.1
	1998.00	26	1.7	1.7	92.8
	1999.00	24	1.6	1.7	94.5
	2000.00	33	2.2	2.2	96.7
	2001.00	28	1.8	1.9	98.6
	2002.00	21	1.4	1.4	100.0
	Total	1477	96.6	100.0	
Missing	-99.00 Refused	52	3.4		
Total		1529	100.0		

[HISPLAT] Do you consider yourself Hispanic or Latino?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	25	1.6	1.7	1.7
	2 No	1489	97.4	98.3	100.0
	Total	1514	99.0	100.0	
Missing	3 Don't Know/Not Sure	2	.1		
	4 Refused	13	.8		
	Total	15	1.0		
Total		1529	100.0		

[RACE] What is your race?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 White	907	59.3	60.3	60.3
	2 Black or African American	551	36.0	36.6	96.8
	3 American Indian/Alaska Native	10	.6	.6	97.5
	4 Asian or Pacific Islander	4	.3	.3	97.7
	5 Multi-racial	24	1.6	1.6	99.3
	6 Other	10	.6	.7	100.0
	Total	1505	98.4	100.0	
Missing	8 Refused	24	1.6		
Total		1529	100.0		

[EDUCATION] What was the last grade or year of school that you attended?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Grades 1 - 8 (Elementary)	42	2.8	2.8	2.8
	3 Grades 9 - 11 (Some High School)	147	9.6	9.7	12.5
	4 Completed High School or GED equivalent	487	31.9	32.1	44.6
	5 Some college or vocational program	304	19.9	20.0	64.6
	6 Completed Associate degree (2-year program)	206	13.5	13.6	78.2
	7 Completed Bachelors degree (4-year program)	213	13.9	14.1	92.2
	8 Completed Masters degree	87	5.7	5.8	98.0
	9 Beyond Masters degree	30	2.0	2.0	100.0
	Total	1518	99.2	100.0	
Missing	10 Don't Know/Not Sure	3	.2		
	11 Refused	8	.5		
	Total	12	.8		
Total		1529	100.0		

[HHINCOME] Household income

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less than $10,000	80	5.2	6.8	6.8
	2 $10,000 to under $15,000	72	4.7	6.1	12.9
	3 $15,000 to under $20,000	65	4.2	5.5	18.4
	4 $20,000 to under $25,000	53	3.4	4.5	22.9
	5 $25,000 to under $35,000	132	8.6	11.2	34.2
	6 $35,000 to under $50,000	169	11.1	14.4	48.6
	7 $50,000 to under $75,000	222	14.5	18.8	67.4
	8 $75,000 to under $100,000	124	8.1	10.5	77.9
	9 $100,000 to under $150,000	149	9.7	12.6	90.6
	10 $150,000 to under $200,000	68	4.4	5.7	96.3
	11 $200,000 or more	43	2.8	3.7	100.0
	Total	1176	76.9	100.0	
Missing	-99 Refused	220	14.4		
	12 Don't Know/Not Sure	133	8.7		
	Total	353	23.1		
Total		1529	100.0		

[GENDER] With what gender do you identify?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Man	702	45.9	46.3	46.3
	2 Woman	810	53.0	53.5	99.8
	3 Other	3	.2	.2	100.0
	Total	1516	99.1	100.0	
Missing	4 Refused	13	.9		
Total		1529	100.0		

[ORIENTATION] With which of the following do you most closely identify?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Heterosexual or straight	1454	95.1	97.9	97.9
	2 Lesbian, gay, or homosexual	13	.9	.9	98.8
	3 Bisexual	15	1.0	1.0	99.8
	4 Other	3	.2	.2	100.0
	Total	1485	97.1	100.0	
Missing	5 Refused	44	2.9		
Total		1529	100.0		

OPEN ENDED RESPONSE FOR [ORIENTATION]: "OTHER"

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid		1526	99.8	99.8	99.8
	None	1	.0	.0	99.8
	Not Sure	2	.1	.1	99.9
	Pansexual	1	.1	.1	100.0
	Total	1529	100.0	100.0	